SYCAMORE

Bathroom Lighting 2026/2027



Illuminating Spaces

KITCHEN | BEDROOM | BATHROOM








About us

Sycamore Lighting is a leading manufacturer and supplier of cutting-edge LED lighting and control systems, specialising in the KBB lighting sectors. Since our founding in 1998, we've built a reputation for exceptional customer service and innovative product solutions.


Thanks to substantial investments in advanced technologies, skilled personnel, and state-of-the-art testing and training facilities, Sycamore has successfully expanded into diverse market sectors. We continue to lead the way as a trusted manufacturer and supplier of high-quality lighting and control systems across the UK and Europe.

Illuminating Spaces

KITCHEN | BEDROOM | BATHROOM







Technical & Design Team

Our technical and design team brings years of experience in the KBB industry. They manage our technical helpline, offering fast, clear, and effective responses to both client and installer queries. In addition, they specialise in designing bespoke lighting schemes, whether for a showroom or a client's kitchen, bedroom, or bathroom project, providing tailored solutions to meet unique needs.

Our team also prioritises customer education, offering on-site product demonstrations or virtual meetings to guide designers through our comprehensive range of offerings.

Three-Step Design Service

Our three-step design service is another cornerstone of our technical support. Upon receiving a brief, the team meticulously reviews the requirements and produces a comprehensive quotation, complete with product codes. This not only saves our clients time but also ensures they receive the best products for their projects.

To take advantage of our popular three step design service, follow the instructions below, or fill in our dedicated online form on our website.

1. Send your plan, with a short brief to **tech@sycamoreLED.com**
2. Our experts design the perfect lighting scheme for your project
3. Receive a quotation, including a full list of products ready to order!

Click here to visit
our online form




Bespoke Lighting Kits & Contract Project Work

We specialise in creating bespoke lighting kits tailored to our customers' needs.

We also offer high-quality light fittings for the Contract Lighting Market at affordable prices. If you have a large lighting project and can't find exactly what you need, simply contact our sales team.

Our commitment to exceptional service ensures we'll be with you every step of the way, from concept to completion of your lighting project.





Illuminating Spaces

Lighting is one of the most influential elements in shaping the atmosphere of a room.

In spaces like the kitchen, bedroom, and bathroom, it can transform the mood, enhance functionality, and even affect how spacious the area feels.

Whatever your needs, our experts are here to help you create a space that works perfectly for you.

Contents

10 Tunable LED Mirror Cabinets
16 Tunable LED Mirrors
68 Classic LED Mirrors
74 Battery LED Mirrors
76 Vanity LED Mirrors
78 Wall Lights
80 LED Shower Niche Boxes
84 Aspen 1 & 2 IP44 LED Downlights
85 IP65 Fire Rated LED Downlights
88 IP Rated Flexible LED Strip
94 Aluminium Profiles for LED Strip
100 Wireless Lighting Controls
102 Pulse Drivers
103 Pulse Integrated Sensors
104 IP67 Drivers
105 Airflow Extractor Fans
108 Airstream Extractor Fans
109 Shaver Sockets
110 Bathroom Regulations
111 Important Information

5-Year Warranty

At Sycamore, we stand behind the quality and reliability of our products. That's why we offer a 5-year guarantee* on the majority of our range, ensuring peace of mind for our customers.

*Certain products are not included in this guarantee. Please refer to page 111 for further information.

For full terms and conditions, please visit our website.

Our Mirrors & Cabinets at a Glance

Mirror Name	Mirror Type	Part Number	Page Number	Dimensions (mm w x h)	Portrait or Landscape	Touch Sensor	Infra Red Sensor	Demister	Tunable White	Dimmable	Shaver Socket	USB Charging	Bluetooth Speakers
Balmoral Single	Tunable Cabinet	SY9046/SINGLE	10 - 11	550 x 700	Portrait	✓		✓	✓	✓	✓	✓	✓
Balmoral Double	Tunable Cabinet	SY9046/DOUBLE	10 - 11	800 x 700	Portrait	✓		✓	✓	✓	✓	✓	✓
Balmoral Triple	Tunable Cabinet	SY9046/TRIPLE	10 - 11	1050 x 700	Portrait	✓		✓	✓	✓	✓	✓	✓
Athena Single	Tunable Cabinet	SY9035	12 - 13	500 x 700	Portrait	✓		✓	✓	✓	✓		
Orbitra	Tunable Mirror	SY9120	16 - 17	700 x 762	Portrait		✓	✓	✓	✓			
Luma Halo	Tunable Mirror	SY9122	18 - 19	700 dia	Round		✓	✓	✓	✓			
Recta Halo	Tunable Mirror	SY9121	20 - 21	500 x 700	Portrait		✓	✓	✓	✓			
Arcus	Tunable Mirror	SY9116	22 - 23	500 x 800	Portrait		✓	✓	✓	✓			
Octaris	Tunable Mirror	SY9117-6	24 - 25	600 x 600	Octagon		✓	✓	✓	✓			
Veyra	Tunable Mirror	SY9118	26 - 27	800 x 600	Landscape		✓	✓	✓	✓			
Selene	Tunable Mirror	SY9119	28 - 29	650 dia	Round	✓			✓	✓			
Etienne	Tunable Mirror	SY9113	30 - 31	1200 x 900	Round	✓		✓	✓	✓			
Marseille 600	Tunable Mirror	SY9114/6	32 - 33	600 dia	Both	✓		✓	✓	✓			
Marseille 800	Tunable Mirror	SY9114/8	32 - 33	800 dia	Both	✓		✓	✓	✓			
Rochelle 600	Tunable Mirror	SY9115/6	34 - 35	600 dia	Round	✓		✓	✓	✓			
Rochelle 800	Tunable Mirror	SY9115/8	34 - 35	800 dia	Round	✓		✓	✓	✓			
Hamilton	Tunable Mirror	SY9015/Speaker	36 - 37	800 x 600	Landscape	✓		✓	✓	✓			✓
Windsor 1	Tunable Mirror	SY9016/Speaker	38 - 39	600 x 800	Portrait	✓		✓	✓	✓			✓
Windsor 2	Tunable Mirror	SY9049/Speaker	38 - 39	500 x 700	Portrait	✓		✓	✓	✓			✓
Valletta Black	Tunable Mirror	SY9108BL	40 - 41	600 dia	Round	✓		✓	✓	✓			
Valletta Gold	Tunable Mirror	SY9108G	40 - 41	600 dia	Round	✓		✓	✓	✓			
Nara Pebble	Tunable Mirror	SY9110	42 - 43	550 x 800	Both	✓		✓	✓	✓			
Berlin	Tunable Mirror	SY9111	44 - 45	400 x 800	Portrait	✓		✓	✓	✓			
Georgia Pro	Tunable Mirror	SY9034-1	46 - 47	600 dia	Round	✓		✓	✓	✓			
Georgia Speaker	Tunable Mirror	SY9034Speaker	46 - 47	600 dia	Round	✓		✓	✓	✓			✓
Langley	Tunable Mirror	SY9033	48 - 49	500 x 700	Both	✓		✓	✓	✓			
Halifax	Tunable Mirror	SY9029	50 - 51	500 x 700	Both	✓		✓	✓	✓			
Saturn Pro 1	Tunable Mirror	SY9030-1	52 - 53	500 x 600	Both	✓		✓	✓	✓			
Saturn Pro 2	Tunable Mirror	SY9031-1	52 - 53	900 x 600	Both	✓		✓	✓	✓			
Saturn Pro 3	Tunable Mirror	SY9032-1	52 - 53	1150 x 600	Both	✓		✓	✓	✓			
Reims	Tunable Mirror	SY9059	54 - 55	500 x 700	Portrait	✓		✓	✓	✓			
Kingston	Tunable Mirror	SY9047	56 - 57	500 x 700	Portrait	✓		✓	✓	✓	✓		
Stockholm Pro	Tunable Mirror	SY9104-1	58 - 59	600 x 800	Both	✓		✓	✓	✓			
Helsinki Pro	Tunable Mirror	SY9101-1	58 - 59	500 x 700	Both	✓		✓	✓	✓			
Stratford	Tunable Mirror	SY9008	60 - 61	600 x 800	Portrait	✓		✓	✓	✓			
Sudbury Pro	Tunable Mirror	SY9009-1	62 - 63	600 dia	Round	✓		✓	✓	✓			
Hera	Tunable Mirror	SY9027	64 - 65	500 x 700	Portrait	✓		✓	✓	✓	✓		
Ares	Tunable Mirror	SY9028	64 - 65	390 x 500	Portrait	✓		✓	✓	✓	✓		
Polar	Classic Mirror	SY9106	68 - 69	500 x 700	Both	✓		✓					
Belice	Classic Mirror	SY9102	70 - 71	500 x 700	Portrait	✓		✓			✓		
Malmo	Classic Mirror	SY9100	70 - 71	390 x 500	Portrait	✓		✓			✓		
Florence	Classic Mirror	SY9061	72 - 73	390 x 500	Portrait	✓							
Comino 1	Battery Mirror	SY9107/1	74 - 75	390 x 500	Portrait	✓*							
Comino 2	Battery Mirror	SY9107/2	74 - 75	500 x 700	Portrait	✓*							

*Comino battery mirrors feature a motion sensor

LED Mirror Cabinets





Balmoral


Tunable LED Cabinets






- Bluetooth speaker
- Shaver socket
- USB charging points
- Diffused border, under & over cabinet lighting
- Touch sensor x 2
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)
- Two adjustable shelves included
- Mirrored panels to external sides of cabinet & internal door


Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9046/SINGLE	Balmoral Single Cabinet 550mm x 700mm	240V	IP44	2700K/4000K/6500K	64W	900mm	£794.85
SY9046/DOUBLE	Balmoral Double Cabinet 800mm x 700mm	240V	IP44	2700K/4000K/6500K	64W	900mm	£966.00
SY9046/TRIPLE	Balmoral Triple Cabinet 1050mm x 700mm	240V	IP44	2700K/4000K/6500K	64W	900mm	£1102.50



Balmoral Single



Balmoral Double



Balmoral Triple

Prices listed are R.R.P including VAT

LED Mirror Cabinets




Athena

Tunable LED Cabinet





- Shaver socket
- Diffused border
- Touch sensor x 2
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (Switches off automatically after 30 minutes)
- 2 x Adjustable glass shelves
- Mirrored panels to external sides of cabinet & internal door



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9035	Athena Single Cabinet 500mm x 700mm	240V	IP44	2700K/4000K/6500K	63W	900mm	£675.16

Prices listed are R.R.P including VAT

LED Mirror Cabinets


Tunable LED Mirrors






Orbitra

Tunable LED Mirror



- Matt black finish
- Built-in infra red switch for colour switching/dimming & demister control - touch free!
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 60 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9120	Orbitra Tunable LED Mirror 700mm x 762mm	240V	IP44	2700K/4000K/6500K	64W	850mm	£546.84

Tunable LED Mirrors




Luma Halo

Tunable LED Mirror




- Brushed gold detailing
- Built-in infra red switch for colour switching/dimming & demister control - touch free!
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 60 minutes)



Part Cod2	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9122	Luma Halo Tunable LED Mirror 700mm	240V	IP44	2700K/4000K/6500K	35W	850mm	£747.18


Prices listed are R.R.P including VAT

Tunable LED Mirrors




Recta Halo

Tunable LED Mirror



- Brushed gold finish
- Built-in infra red switch for colour switching/dimming & demister control - touch free!
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 60 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9121	Recta Halo Tunable LED Mirror 500mm x 700mm	240V	IP44	2700K/4000K/6500K	40W	850mm	£673.47

Prices listed are R.R.P including VAT

Tunable LED Mirrors




Arcus

Tunable LED Mirror



- Frameless mirror with back-lit diffused LED
- Tunable white (warm/natural/cool white)
- Dimmable
- Built-in infra red switch for colour switching/dimming & demister control - touch free!
- Demister (switches off automatically after 60 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9116	Arcus Tunable LED Mirror 500mm x 800mm	240V	IP44	2700K/4000K/6500K	38W	1600mm	£239.40

Tunable LED Mirrors




Octaris

Tunable LED Mirror



- Frameless mirror with back-lit diffused LED
- Tunable white (warm/natural/cool white)
- Dimmable
- Built-in infra red switch for colour switching/dimming & demister control - touch free!
- Demister (switches off automatically after 60 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9117/6	Octaris Tunable LED Mirror 600mm x 600mm	240V	IP44	2700K/4000K/6500K	30W	1600mm	£233.10


Tunable LED Mirrors



Veyra
Tunable LED Mirror



- Frameless mirror with back-lit diffused LED
- Tunable white (warm/natural/cool white)
- Dimmable
- Built-in infra red switch for colour switching/dimming & demister control - touch free!
- Demister (switches off automatically after 30 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9118	Veyra Tunable LED Mirror 800mm x 600mm	240V	IP44	2700K/4000K/6500K	36W	1600mm	£264.60

Prices listed are R.R.P including VAT


Tunable LED Mirrors




Selene

Tunable LED Mirror










- Frameless mirror to the centre, with back-lit diffused LED
- Rose gold concave metal frame
- Tunable white (warm/natural/cool white)
- Dimmable
- Built-in touch sensor



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9119	Selene Tunable LED Mirror 650mm	240V	IP44	2700K/4000K/6500K	55W	1600mm	£604.80

Tunable LED Mirrors




Etienne

Tunable LED Mirror



- Frameless mirror with back-lit diffused LED
- Touch sensor x 2
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (Switches off automatically after 30 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9113	Etienne Tunable LED Mirror 1200mm x 900mm	240V	IP44	2700K/4000K/6500K	35W	900mm	£573.51

Tunable LED Mirrors




Marseille
Tunable LED Mirror






- Hangs in portrait or landscape
- Frameless mirror with back-lit diffused LED
- Touch sensor x 2
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (Switches off automatically after 30 minutes)

Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9114/6	Marseille Tunable LED Mirror 600mm	240V	IP44	2700K/4000K/6500K	10.4W	900mm	£249.96
SY9114/8	Marseille Tunable LED Mirror 800mm	240V	IP44	2700K/4000K/6500K	14.2W	900mm	£333.28



Marseille 600mm



Marseille 800mm

Prices listed are R.R.P including VAT

Tunable LED Mirrors




Rochelle
Tunable LED Mirror






- Frameless mirror with back-lit diffused LED
- Touch sensor x 2
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (Switches off automatically after 30 minutes)

Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9115/6	Rochelle Tunable LED Mirror 600mm	240V	IP44	2700K/4000K/6500K	10.3W	900mm	£263.84
SY9115/8	Rochelle Tunable LED Mirror 800mm	240V	IP44	2700K/4000K/6500K	14.1W	900mm	£354.10



Rochelle 600mm



Rochelle 800mm




Hamilton

Tunable LED Mirror with Speaker



- Bluetooth speaker
- Diffused LED border
- Touch sensor x 2
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9015/SPEAKER	Hamilton Tunable LED Mirror 800mm x 600mm	240V	IP44	2700K/4000K/6500K	47W	300mm	£520.80

Tunable LED Mirrors



Windsor 1 & 2


Tunable LED Mirror with Speaker






- Bluetooth speaker
- Diffused LED border
- Touch sensor x 2
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)

Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9016/SPEAKER	Windsor 1 Tunable LED Mirror 600mm x 800mm	240V	IP44	2700K/4000K/6500K	47W	300mm	£520.80
SY9049/SPEAKER	Windsor 2 Tunable LED Mirror 500mm x 700mm	240V	IP44	2700K/4000K/6500K	34W	300mm	£462.00



Windsor 1



Windsor 2

Tunable LED Mirrors




Valletta
Tunable LED Mirror


Valletta Gold


Valletta Black

- Black or brushed gold trim with strap
- Diffused LED border
- Touch sensor x 2
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)

Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9108BL	Valletta Black Tunable LED Mirror 600mm	240V	IP44	2700K/4000K/6500K	33W	800mm	£374.85
SY9108G	Valletta Gold Tunable LED Mirror 600mm	240V	IP44	2700K/4000K/6500K	33W	800mm	£393.75






Nara Pebble

Tunable LED Mirror





- Hangs in portrait or landscape
- Frameless mirror with back-lit diffused LED
- Touch sensor x 1
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9110	Nara Pebble Tunable LED Mirror 800m x 550mm	240V	IP44	2700K/4000K/6500K	22W	900mm	£273.00

Tunable LED Mirrors




Berlin

Tunable LED Mirror





- Diffused LED border with black trim
- Touch sensor x 1
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9111	Berlin Tunable LED Mirror 400mm x 800mm	240V	IP44	2700K/4000K/6500K	26W	1000mm	£332.85

Prices listed are R.R.P including VAT T: +44 (0) 113 286 6686 www.sycamoreLED.com

Tunable LED Mirrors




Georgia Pro/Georgia with Speaker

Tunable LED Mirror





- Bluetooth speaker (SY9034Speaker)
- Diffused LED border with black trim
- Touch sensor x 1
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9034Speaker	Georgia Tunable LED Mirror with Speaker 600mm	240V	IP44	2700K/4000K/6500K	48W	600mm	£424.43
SY9034-1	Georgia Pro Tunable LED Mirror 600mm	240V	IP44	2700K/4000K/6500K	42W	600mm	£283.50


Tunable LED Mirrors



Langley
Tunable LED Mirror



- Hangs in portrait or landscape
- Diffused LED border with black trim
- Touch sensor x 2
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9033	Langley Tunable LED Mirror 500mm x 700mm	240V	IP44	2700K/4000K/6500K	45W	900mm	£383.25

Tunable LED Mirrors




Halifax

Tunable LED Mirror



- Hangs in portrait or landscape
- Frameless mirror with back-lit diffused LED
- Touch sensor x 2
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9029	Halifax Tunable LED Mirror 500mm x 700mm	240V	IP44	2700K/4000K/6500K	45W	900mm	£312.90

Tunable LED Mirrors


Saturn Pro 500

Prices listed are R.R.P including VAT


Saturn Pro
Tunable LED Mirror


Saturn Pro 900



Saturn Pro 1150

- Hangs in portrait or landscape
- Diffused LED border
- 3 Different sizes available
- Touch sensor x 1
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)


Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9030-1	Saturn Pro 500 - 500mm x 600mm	240V	IP44	2700K/4000K/6500K	24W	900mm	£252.50
SY9031-1	Saturn Pro 900 - 900mm x 600mm	240V	IP44	2700K/4000K/6500K	40W	900mm	£352.80
SY9032-1	Saturn Pro 1150 - 1150mm x 600mm	240V	IP44	2700K/4000K/6500K	45W	900mm	£441.00



Saturn Pro 500



Saturn Pro 900



Saturn Pro 1150

Prices listed are R.R.P including VAT




Reims

Tunable LED Mirror





- Touch sensor x 2
- Diffused LED border
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9059	Reims Tunable LED Mirror 500mm x 700mm	240V	IP44	2700K/4000K/6500K	39W	300mm	£319.20

Tunable LED Mirrors




Kingston
Tunable LED Mirror





- Shaver socket
- Frameless mirror with back-lit diffused LED
- Touch sensor x 1
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9047	Kingston Tunable LED Mirror 500mm x 700mm	240V	IP44	2700K/4000K/6500K	58W	900mm	£409.50

Tunable LED Mirrors



Prices listed are R.R.P including VAT

Stockholm & Helsinki Pro


Tunable LED Mirror






- Hangs in portrait or landscape
- Diffused LED border
- Touch sensor x 1
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)

Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9104-1	Stockholm Pro Tunable LED Mirror 600mm x 800mm	240V	IP44	2700K/4000K/6500K	52W	500mm	£311.86
SY9101-1	Helsinki Pro Tunable LED Mirror 500mm x 700mm	240V	IP44	2700K/4000K/6500K	31W	500mm	£242.56



Stockholm Pro



Helsinki Pro

Prices listed are R.R.P including VAT

Tunable LED Mirrors




Stratford

Tunable LED Mirror





- Diffused LED border
- Touch sensor x 2
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9008	Stratford Tunable LED Mirror 600mm x 800mm	240V	IP44	2700K/4000K/6500K	47W	300mm	£396.90

Tunable LED Mirrors




Sudbury Pro
Tunable LED Mirror





- Touch sensor x 1
- Diffused LED border
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9009-1	Sudbury Pro Tunable LED Mirror 600mm	240V	IP44	2700K/4000K/6500K	42W	300mm	£226.80

Tunable LED Mirrors



Hera & Ares


Tunable LED Mirror






- Shaver socket
- LED points to front of mirror
- Touch sensor x 1
- Tunable white (warm/natural/cool white)
- Dimmable
- Demister (switches off automatically after 30 minutes)

Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9027	Hera Tunable LED Mirror 500mm x 700mm	240V	IP44	2700K/4000K/6500K	44W	900mm	£298.20
SY9028	Ares Tunable LED Mirror 390mm x 500mm	240V	IP44	2700K/4000K/6500K	44W	900mm	£250.95



Hera



Ares

Prices listed are R.R.P including VAT

Tunable LED Mirrors

Classic LED Mirrors






Polar

Classic LED Mirror



- Hangs in portrait or landscape
- Diffused LED border with black trim
- Touch sensor x 1
- Natural white (4000K)
- Demister (switches off automatically after 30 minutes)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9106	Polar Classic LED Mirror 500mm x 700mm	240V	IP44	4000K	24W	500mm	£290.85



Prices listed are R.R.P including VAT

Belice & Malmo


Classic LED Mirror






- Shaver socket
- Diffused LED border
- Touch sensor x 1
- Natural white (4000K)
- Demister (switches off automatically after 60 minutes)

Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9102	Belice Classic LED Mirror 500mm x 700mm	240V	IP44	4000K	31W	500mm	£313.95
SY9100	Malmo Classic LED Mirror 390mm x 500mm	240V	IP44	4000K	22W	500mm	£228.90



Belice



Malmo

Prices listed are R.R.P including VAT

Classic LED Mirrors




Florence

Classic LED Mirror





- Touch sensor x 1
- Diffused LED border
- Natural white (4000K)



Part Code	Description	Voltage	IP Rating	Kelvins	Wattage	Cable Length	RRP Inc VAT
SY9061	Florence Classic LED Mirror 390mm x 500mm	240V	IP44	4000K	20W	500mm	£173.25

Prices listed are R.R.P including VAT

Classic LED Mirrors



Comino 1 & 2

Rechargeable Battery-Operated LED Mirror







- Easy to install - no wiring necessary
- Two sizes available
- Battery operated - removable battery pack easily removed for charging via USB cable (Included)
- Illuminates for up to 3 months from one single charge (*based on 20 minutes' usage per day)
- Built-in motion sensor - switches light off automatically after 2 minutes of no movement
- Diffused LED panel to top of mirror
- On/off switch
- Natural white (4000K)
- 3.7V 2500mAh Lithium battery included
- 2 Year guarantee







Comino 1



Comino 2

Part Code	Description	Time taken to fully charge	Usage Time when fully charged	IP Rating	Kelvins	RRP Inc VAT
SY9107/1	Comino 1 - 390mm x 500mm	6 - 7 hours	Up to 3 months*	IP44	4000K	£124.95
SY9107/2	Comino 2 - 500mm x 700mm	6 - 7 hours	Up to 3 months*	IP44	4000K	£145.95

Prices listed are R.R.P including VAT

Battery LED Mirrors

Lorraine


Rechargeable Battery-Operated LED Vanity Mirror





- Rechargeable 5V Lithium battery
- Touch on/off button
- Black stand included
- Adhesive back to mirror
- Natural white (4000K)
- Rechargeable via USB (cable included)
- 2 x Magnification
- Built in eye protection with extreme low blue light

12 Month guarantee



Part Code	Description	Time taken to fully charge	Usage Time when fully charged	IP Rating	Kelvins	RRP Inc VAT
SY9011	Lorraine Vanity Mirror	1.5 Hours	2 hours	IP20	4000K	£27.30


Prices listed are R.R.P including VAT

Titan

Rechargeable Battery-Operated LED Vanity Mirror



- Rechargeable 5V Lithium battery (4000mAh)
- Touch on/off/dim button
- Natural white (4000K)
- Rechargeable via USB (Cable Included)
- Built-in sensor - switches off after 20 seconds of no movement. Stays active for 15 minutes and will switch back on again when further movement is sensed within this time.
- 12 Month guarantee



Part Code	Description	Time taken to fully charge	Usage Time when fully charged	IP Rating	Kelvins	RRP Inc VAT
SY9021	Titan Vanity Mirror	3 Hours	2 hours	IP20	4000K	£117.60

Prices listed are R.R.P including VAT

Battery LED Mirrors


Flume
Wall Light




Gun metal


Black

- E14 candle lamp required, purchased separately
- Black, brushed brass or gun metal finish
- Ribbed frosted diffuser cover
- 240V
- IP44



Part Code	Description	Lamp Type	IP Rating	RRP Inc VAT
SY5200BL	Flume Wall Light (excluding lamp) Black	E14	IP44	£69.80
SY5200BR	Flume Wall Light (excluding lamp) Brushed Brass	E14	IP44	£88.19
SY5200GM	Flume Wall Light (excluding lamp) Gun Metal	E14	IP44	£88.19

Lamp Options

Part Code	Description	Dimmable?	Lamp Type	Kelvins	Wattage	RRP Inc VAT
CR12783	LED Filament Candle	Non-Dimmable	E14	2700K	6.5W	£2.88
CR18693	LED Filament Candle	Non-Dimmable	E14	4000K	6.5W	£2.88
CR18747	LED Filament Candle	Dimmable	E14	2700K	5.9W	£3.72
CR18778	LED Filament Candle	Dimmable	E14	4000K	5.9W	£3.72




Prices listed are R.R.P including VAT

Arch
Wall Light



- E27 Lamp required, purchased separately
- Brushed brass finish/ribbed glass shade
- 240V
- IP44
- Easy-reach on/off pull cord



Part Code	Description	Lamp Type	IP Rating	RRP Inc VAT
SY97007	Arch Wall Light	E27	IP44	£142.80

Lamp Options


Part Code	Description	Dimmable?	Lamp Type	Kelvins	Wattage	RRP Inc VAT
(a) CR7239	LED Filament Round Warm White	Dimmable	E27	2700K	5W	£9.45
(b) SY7986/E27GLS	LED Filament GLS Warm White	Dimmable	E27	2700K	5W	£9.45
(c) SY7986E27	LED Filament Candle Warm White	Dimmable	E27	2700K	5W	£9.45

(a) (b) (c)

Newham
Wall Light



- 2 x G9 Lamp required, purchased separately
- Chrome finish/ribbed glass shade
- 240V
- IP44




Part Code	Description	Lamp Type	IP Rating	RRP Inc VAT
SY97720	Newham Wall Light	G9 x 2	IP44	£128.10

Lamp Options

Part Code	Description	Dimmable?	Lamp Type	Kelvins	Wattage	RRP Inc VAT
CR17764	LED G9 Warm White	Non-Dimmable	G9	2700K	2.2W	£6.36
CR17771	LED G9 Natural White	Non-Dimmable	G9	4000K	2.2W	£6.36

Prices listed are R.R.P including VAT



Linear LED Shower Niche Boxes triglow

Our new LED Shower Niches are designed specifically for bathroom installation, combining modern aesthetics with practical innovation.

Available in brushed brass, black, or gun metal grey, these stylish recessed niches blend seamlessly into any contemporary bathroom décor, with no tiling required for installation.

Each niche features a built-in IP-rated LED strip, making it perfectly suited for wet environments. Choose from three different sizes to suit your space and storage needs.


The built-in LED strip is TriGlow* LED lighting, so you can create the perfect ambiance and set your desired mood, from calming spa tones to vibrant modern accents. TriGlow block and 24Vdc driver included.

* TriGlow block features a switch to choose the LED colour and dimming level on installation. To change the unit to Tunable White, enabling control of the LED colour and brightness at all times, please purchase our smart receiver SY5001. This can then be controlled via a remote control, or a free downloadable app.

Niche Boxes 300mm


With Built-In TriGlow LED Strip


- 24Vdc driver included
- TriGlow block included (switch from warm/natural/cool white)











Part Code	Description	Voltage	Wattage	Kelvins	IP Rating	Cable Length	RRP Inc VAT
SY5100BL-S	300mm x 300mm Shower Niche Black	24Vdc (driver included)	2.2W	2700K/4000K/6000K	IP65	2m	£153.30
SY5100BR-S	300mm x 300mm Shower Niche Brushed Brass	24Vdc (driver included)	2.2W	2700K/4000K/6000K	IP65	2m	£235.20
SY5100GM-S	300mm x 300mm Shower Niche Gun Metal Grey	24Vdc (driver included)	2.2W	2700K/4000K/6000K	IP65	2m	£235.20

Niche Boxes 600mm


With Built-In TriGlow LED Strip







- 24Vdc driver included
- TriGlow block included (switch from warm/natural/cool white)



Part Code	Description	Voltage	Wattage	Kelvins	IP Rating	Cable Length	RRP Inc VAT
SY5100BL-M	300mm x 600mm Shower Niche Black	24Vdc (driver included)	4.5W	2700K/4000K/6000K	IP65	2m	£216.30
SY5100BR-M	300mm x 600mm Shower Niche Brushed Brass	24Vdc (driver included)	4.5W	2700K/4000K/6000K	IP65	2m	£329.70
SY5100GM-M	300mm x 600mm Shower Niche Gun Metal Grey	24Vdc (driver included)	4.5W	2700K/4000K/6000K	IP65	2m	£329.70

Prices listed are R.R.P including VAT

Niche Boxes 1200mm


With Built-In TriGlow LED Strip







- 24Vdc driver included
- TriGlow block included (switch from warm/natural/cool white)




Part Code	Description	Voltage	Wattage	Kelvins	IP Rating	Cable Length	RRP Inc VAT
SY5100BL-L	300mm x 1200mm Shower Niche Black	24Vdc (driver included)	9W	2700K/4000K/6000K	IP65	2m	£373.80
SY5100BR-L	300mm x 1200mm Shower Niche Brushed Brass	24Vdc (driver included)	9W	2700K/4000K/6000K	IP65	2m	£389.55
SY5100GM-L	300mm x 1200mm Shower Niche Gun Metal Grey	24Vdc (driver included)	9W	2700K/4000K/6000K	IP65	2m	£389.55

Prices listed are R.R.P including VAT


LED Niche Boxes

Aspen 1

IP44 Tunable LED Ceiling Light with Bluetooth Speaker



- Remote control included
- Built-in Bluetooth speaker
- Tunable white and dimmable using remote control




Part Code	Description	Voltage	Wattage	Kelvins	Lumens	IP Rating	RRP Inc VAT
SY9012	Aspen 1 (Tunable white + speaker)	240V	17W (+6W speaker)	Tunable White (3000K/4000K/6500K)	1200lm	IP44	£93.45

Aspen 2

IP44 LED Ceiling Light



- Natural white 4000K
- IP44 Rated



Part Code	Description	Voltage	Wattage	Kelvins	Lumens	IP Rating	RRP Inc VAT
SY9010	Aspen 2	240V	17W	Natural White 4000K	1200lm	IP44	£59.85

Riga Motion

IP65 Fire Rated Dimmable LED Downlight with PIR

NEW



- Switchable from 2700K/3000K/4000K or 6000K using integrated switch on the fitting
- 7W
- Loop-in-loop-out terminal
- Designed to allow loft insulation to be continuously run over the back of the fitting (IC Rated)
- Fire rated, IP65 rated & dimmable
- Adjustable timer - from 5 seconds to 10 minutes
- Adjustable PIR sensitivity - from 0.1m to 4m
- Adjustable Lux levels sensitivity - from 0 Lux - 1000 Lux


Part Code	Description	Voltage	Wattage	Kelvins	Lumens	IP Rating	Beam Angle	RRP Inc VAT
SY9071WH-PIR	Riga Motion White	240V	7W	Switchable 2700K/3000K/4000K/6000K	700lm	IP65	60°	£35.78

Accessories

Part Code	Description	RRP Inc VAT
(a) SY9072CC	Chrome Bezel	£3.65
(b) SY9072BL	Black Bezel	£3.65

(a) 

(b) 



Cut out size 70 mm

Riga Flex Tilt

IP65 Fire Rated Dimmable LED Downlight

NEW





- Switchable from 2700K/3000K/4000K or 6000K using integrated switch on the fitting
- Switchable wattage from 4/6/8W using integrated switch on the fitting
- Loop-in-loop-out terminal
- Designed to allow loft insulation to be continuously run over the back of the fitting (IC Rated)
- Fire rated, IP65 rated & dimmable

Part Code	Description	Voltage	Wattage (Switchable)	Kelvins (Switchable)	Lumens (4/6/8W)	IP Rating	Beam Angle	RRP Inc VAT
SY9069WH	Riga Flex Tilt White	240V	4/6/8W	2700K/3000K/4000K/6000K	400lm/600lm/800lm	IP65	60°	£27.72

Accessories

Part Code	Description	RRP Inc VAT
(a) SY9070CC	Chrome Bezel	£6.30
(b) SY9070BN	Brushed Nickel Bezel	£6.30
(c) SY9070BL	Black Bezel	£6.30
(d) SY9070BR	Brass Bezel	£6.30





Cut out size 70mm

Riga Flex

IP65 Fire Rated Dimmable LED Downlight





- Switchable from 2700K/3000K/4000K or 6000K using integrated switch on the fitting
- Switchable wattage from 4/6/8W using integrated switch on the fitting
- Loop-in-loop-out terminal
- Designed to allow loft insulation to be continuously run over the back of the fitting (IC Rated)
- Fire rated, IP65 rated & dimmable

Part Code	Description	Voltage	Wattage (Switchable)	Kelvins (Switchable)	Lumens 4/6/8W	IP Rating	Beam Angle	RRP Inc VAT
SY9067WH	Riga Flex White	240V	4/6/8W	2700K/3000K/4000K/6000K	400lm/600lm/800lm	IP65	60°	£21.42

Accessories

Part Code	Description	RRP Inc VAT
(a) SY9068CC	Chrome Magnetic Bezel	£3.15
(b) SY9068BN	Brushed Nickel Magnetic Bezel	£3.15
(c) SY9068BK	Black Magnetic Bezel	£3.15
(d) SY9068G	Gold Magnetic Bezel	£3.15
(e) SY9068CO	Copper Magnetic Bezel	£3.15





Cut out size 70mm

Prices listed are R.R.P including VAT




ARC TriGlow
IP67 LED Strip

- Switch from warm, natural or cool white (Triglow distribution block required)
- Diffused light - silicon encapsulation for a 'spot free' look
- Ideal for handle-less designs or recessing into cabinets or wardrobes
- Cut marks every 50mm
- 2m cable on both ends



triglow



Part Code	Description	Voltage	Wattage P/M	Kelvins	LED's P/M	Lumens P/W	Cut Marks	IP Rating	Cable Length	RRP Inc VAT
SY2464B-3	ARC Triglow 3m Reel Black	24Vdc	6W	2700K/4000K/6000K	320	30lm	50mm	IP67	2m at both ends	£75.60
SY2464W-3	ARC Triglow 3m Reel White	24Vdc	6W	2700K/4000K/6000K	320	40lm	50mm	IP67	2m at both ends	£75.60
SY2464B-5	ARC Triglow 5m Reel Black	24Vdc	6W	2700K/4000K/6000K	320	30lm	50mm	IP67	2m at both ends	£126.00
SY2464W-5	ARC Triglow 5m Reel White	24Vdc	6W	2700K/4000K/6000K	320	40lm	50mm	IP67	2m at both ends	£126.00

Accessories

Part Code	Description	RRP Inc VAT
(a) SY5001	**Triglow Distribution Block (Dimmable)**	£13.86
(b) SY5002	**Smart Tunable Receiver (Dimmable)***	£60.48

(a)



(b)



*Requires remote control or wall panel see pages 100/101 for options
Compatible with Pulse sensors listed on page 103 (not dimmable)

LED Drivers



Part Code	Description	RRP Inc VAT
SY2499-15	**15W 24Vdc LED Driver (max 2.5m)**	£22.68
SY2499-30	**30W 24Vdc LED Driver (max 5m)**	£34.02
SY2499-60	**60W 24Vdc LED Driver (max 10m)**	£44.10


Triglow LED Strip Lighting



Continua COB Cut-Anywhere
IP65 LED Strip

- Can be cut at any point along the LED strip
- COB technology provides a continuous, dot-free line of light
- Warm or natural white LED
- 3m or 5m reels available
- 2m cable on both ends
- The new corner connector allows the strips to be placed directly up to each other for continuous light output around 90° corners






Part Code	Description	Voltage	Wattage P/M	Kelvins	LED's P/M	Lumens P/W	Cut Marks	IP Rating	Cable Length	RRP Inc VAT
SY2470WW-3	Continua IP65 3m Reel Warm White	24Vdc	6W	2700K	520	38lm	Cut-Anywhere	IP65	2m at both ends	£51.66
SY2470NW-3	Continua IP65 3m Reel Natural White	24Vdc	6W	4000K	520	46lm	Cut-Anywhere	IP65	2m at both ends	£51.66
SY2470WW-5	Continua IP65 5m Reel Warm White	24Vdc	6W	2700K	520	38lm	Cut-Anywhere	IP65	2m at both ends	£83.16
SY2470NW-5	Continua IP65 5m Reel Natural White	24Vdc	6W	4000K	220	46lm	Cut-Anywhere	IP65	2m at both ends	£83.16

Accessories

Part Code	Description	RRP Inc VAT
(a) SY9044	**2m Reconnection Distribution Cable**	£3.48
(b) SY9023	**Direct Connector**	£1.39
(c) SY9024	**Corner Connector (30mm Flexi)**	£3.18
(d) SY9025C	**90° Corner Connector (Fixed)**	£3.18






LED Drivers

Part Code	Description	RRP Inc VAT
SY2499-15	**15W 24Vdc LED Driver (max 2.5m)**	£22.68
SY2499-30	**30W 24Vdc LED Driver (max 5m)**	£34.02
SY2499-60	**60W 24Vdc LED Driver (max 10m)**	£44.10

Compatible with Pulse sensors listed on page 103
Compatible with wireless lighting controls listed on pages 100/101
Compatible profiles listed on pages 94-99




Nano-coat LED Strip

IP54 LED Strip

- Roll-to-roll, continuous reel with no soldering joints
- Super-thin Nano-Coating
- Warm or natural white LED
- 3m or 5m reels available
- 2m cable on both ends






Part Code	Description	Voltage	Wattage P/M	Kelvins	LED's P/M	Lumens P/W	Cut Marks	IP Rating	Cable Length	RRP Inc VAT
SY2471WW-3	Nano-Coat 3m Reel Warm White	24Vdc	6W	2700K	120	107lm	50mm	IP54	2m at both ends	£22.68
SY2471NW-3	Nano-Coat 3m Reel Natural White	24Vdc	6W	4000K	120	113lm	50mm	IP54	2m at both ends	£22.68
SY2471WW-5	Nano-Coat 5m Reel Warm White	24Vdc	6W	2700K	120	107lm	50mm	IP54	2m at both ends	£37.80
SY2471NW-5	Nano-Coat 5m Reel Natural White	24Vdc	6W	4000K	120	113lm	50mm	IP54	2m at both ends	£37.80

Accessories

Part Code	Description	RRP Inc VAT
(a) SY9044	**2m Reconnection Distribution Cable**	£3.48
(b) SY9023	**Direct Connector**	£1.39
(c) SY9024	**Corner Connector (30mm Flexi)**	£3.18
(d) SY9025	**Corner Connector (Fixed)**	£3.18





LED Drivers

Part Code	Description	RRP Inc VAT
SY2499-15	**15W 24Vdc LED Driver (max 2.5m)**	£22.68
SY2499-30	**30W 24Vdc LED Driver (max 5m)**	£34.02
SY2499-60	**60W 24Vdc LED Driver (max 10m)**	£44.10

Compatible with Pulse sensors listed on page 103
Compatible with wireless lighting controls listed on pages 100/101
Compatible profiles listed on pages 94-99







Slynt
Surface Profile



- 2m or 2.5m length
- Includes opal diffuser
- Includes end caps (2 for 2m, 4 for 2.5m)
- Includes mounting clips (4 for 2m, 6 for 2.5m)
- Spare end caps and mounting clips are available to purchase separately

Part Code	Description	RRP Inc VAT
SY7482	2m Surface Profile Aluminium/Opal Diffuser	£20.84
SY7482MB	2m Surface Profile Matt Black/Opal Diffuser	£25.70
SY7482/2.5M	2.5m Surface Profile Aluminium/Opal Diffuser	£29.48
SY7482MB/2.5M	2.5m Surface Profile Matt Black/Opal Diffuser	£31.75









Profiles for LED Strip




Revia
Recessed Profile





- 2m or 2.5m length
- Includes opal diffuser
- Includes end caps (2 for 2m, 4 for 2.5m)
- Spare end caps are available to purchase separately

Part Code	Description	RRP Inc VAT
SY7392A	2m Recessed Profile Aluminium/Opal Diffuser	£21.09
SY7392MB	2m Recessed Profile Matt Black/Opal Diffuser	£25.86
SY7392A/2.5M	2.5m Recessed Profile Aluminium/Opal Diffuser	£24.70
SY7392MB/2.5M	2.5m Recessed Profile Matt Black/Opal Diffuser	£33.70






Profiles for LED Strip




Prizma
Angled Profile





- 2m or 2.5m length
- Includes opal diffuser
- Includes end caps (2 for 2m, 4 for 2.5m)
- Includes mounting clips (4 for 2m, 6 for 2.5m)
- Spare end caps and mounting clips are available to purchase separately

Part Code	Description	RRP Inc VAT
SY7409A	2m Angled Profile Aluminium/Opal Diffuser	£23.44
SY7409BL/C	2m Angled Profile Matt Black/Opal Diffuser	£27.72
SY7409A/2.5M	2.5m Angled Profile Aluminium/Opal Diffuser	£27.34
SY7409BL/2.5M	2.5m Angled Profile Matt Black/Opal Diffuser	£32.38



Prices listed are R.R.P including VAT



Wireless Smart Lighting

Control lighting easily - various different ways to switch and dim;

- Wireless wall switches or panels
- Hand-held remote control
- Smartphone or tablet (using free app)
- Voice control assistant (Amazon Alexa or Google Assistant)
- Wireless PIR sensor

Pulse 24Vdc Receiver

Works with single colour and Tri-Glow/Tunable LED



Part Code	Description	RRP Inc VAT
SY5002	24Vdc Receiver (on/off + dimming)	£60.48

Pulse 240V Receivers

Works with 240V lighting. SY9079 can also be used to switch extractor fans on and off.



Part Code	Description	RRP Inc VAT
SY9079	240V Receiver (on/off)	£33.07
SY9080	240V Receiver (on/off + dimming)	£54.65

NEW



Wireless Switches - Adhesive Fixing

These switches turn connected lights on and off, and dim by pressing and holding the relevant switch. This switch is wireless and has an adhesive back to stick to the surface. No wiring or back-box required. CR2032 battery required (included).

Part Code	Description	RRP Inc VAT
SY5081/1	1G Switch	£24.00
SY5081/2	2G Switch	£24.00



Remote Control

Control and dim up to 4 different zones of lighting. Scene saving button to save your favourite settings. Includes adhesive-backed wall holder and 2 x AAA batteries.

Part Code	Description	RRP Inc VAT
SY9565A	4 Zone Remote	£17.64



Wall Mounted Switches

Turn on and off, and dim one zone of lighting. Multiple receivers can be paired to one controller.

These panels require no wiring, and the round switch can be removed and used as a hand-held remote, simply detach from the magnetic base.

Part Code	Description	RRP Inc VAT
SY8818W	Wall Plate White	£26.46
SY8818B	Wall Plate Black	£26.46




Wireless PIR Sensor

Battery operated wireless sensor, with a surface mounted magnetic base. The magnetic base is attached using the included adhesive pad and can be fitted to a tiled surface or wall. The sensor is IP54 rated.

The sensor can detect movement up to 7 metres away, and at a 120° angle. The adjustable time can be set from 30 seconds - 60 minutes. (Timer has a default setting to turn off lights if no movement has been sensed after 30 seconds. To adjust from 30 seconds through to 60 minutes, a remote control is required, listed below. The remote can also adjust the brightness sensitivity from 20% to 100%, with the default setting being 100%)

Receiver required. Remote control is required if adjustments to the timer and brightness is required.

Part Code	Description	RRP Inc VAT
SY8963RF/A	Wireless PIR Sensor	£40.43
SY5002	12/24Vdc Receiver	£60.48
SY9080	240V Receiver	£54.65
SY9565A	4 Zone Remote	£17.64



Looking for further assistance?


Please call our dedicated technical team for help with lighting controls, bathroom regulations, lighting plans or any other technical queries

T: 0113 2866686 or email tech@sycamoreLED.com

Pulse

Drivers

- Integrated sensor port - choose from a Touch Sensor, Door Sensor or PIR sensor.
- Integrated connector ports



Simply plug your sensor directly into the Pulse driver of your choice

Integrated connector ports for a neat and compact solution

Part Code	Description	Max Wattage	Number of Ports	Dimensions	RRP Inc VAT
SY2499-8	Pulse 8W 24Vdc LED Driver	8W	4	104mm (w) x 48mm (d) x 16.5mm (h)	£15.12
SY2499-15	Pulse 15W 24Vdc LED Driver	15W	6	104mm (w) x 48mm (d) x 16.5mm (h)	£22.68
SY2499-30	Pulse 30W 24Vdc LED Driver	30W	6	154mm (w) x 55mm (d) x 16.5mm (h)	£34.02
SY2499-60	Pulse 60W 24Vdc LED Driver	60W	6	154mm (w) x 55mm (d) x 16.5mm (h)	£44.10
SY2498	2m Mains Cable with UK 3 Pin Plug			2000mm	£7.56


Prices listed are R.R.P including VAT

Pulse Drivers & Sensors

Pulse


Integrated Sensors

- Simple plug and play system - all sensors plug directly into any of our Pulse drivers
- Can be recessed or surface mounted



Surface mounted housing included





Touch Sensor

- Touch on/off
- Touch and hold to dim

Part Code	Description	RRP Inc VAT
SY2498T	Touch Sensor	£12.60



Door Sensor (Single & Double Door)

- Automatically switches lights on/off when door is opened/closed
- 1 - 3cm detection range

Part Code	Description	RRP Inc VAT
SY2498SD	Single Door Sensor	£15.12
SY2498DD	Double Door Sensor	£22.68



Motion Sensor

- Automatically switches lights on when movement is sensed
- 1 - 3m detection range
- 90˚detection angle
- 30 second delay timer


Part Code	Description	RRP Inc VAT
SY2498PIR	Motion Sensor	£17.64

Prices listed are R.R.P including VAT

IP67
Drivers

- IP67 Rated driver
- Includes IP68 gel-filled box for connector cable





Each box is pre-filled with gel to bind to the connector cables when closed. Simply place the cable inside and clamp down.

Part Code	Description	Max Wattage	Dimensions	RRP Inc VAT
SY2490-35	35W IP67 24Vdc LED Driver	35W	110mm (w) x 40mm (d) x 29.5mm (h)	£34.20
SY2490-60	60W IP67 24Vdc LED Driver	60W	155.5mm (w) x 41.5mm (d) x 30mm (h)	£42.00
SY2490-100	100W IP67 24Vdc LED Driver	100W	155.6mm (w) x 47.6mm (d) x 32.5mm (h)	£60.00
SY2490-150	150W IP67 24Vdc LED Driver	150W	155.6mm (w) x 47.6mm (d) x 32.5mm (h)	£70.80

Prices listed are R.R.P including VAT

Airflow iCON
Extractor Fans

AIRFLOW







iCON 15

Finish: White or Chrome (other covers available on page 106)
Extract Volume: 19 l/sec
Sound Pressure d B (A) @ 3M: 28.8
Fan Type: Axial
Mounting (Wall/Ceiling): Recessed
Weight (Kg): 0.74
Outlet (dia): 100mm
Power: 9.4W
Voltage: 230/1PH/50Hz
Max Amb. Temp: 40˚C
IP Rating: IPX4
Guarantee: 3 Years

iCON 30


Finish: White (other covers available on page 106)
Extract Volume: 32 l/sec
Sound Pressure d B (A) @ 3M: 33.3
Fan Type: Mixed
Mounting (Wall/Ceiling): Rec and Sur
Weight (Kg): 1.11
Outlet (dia): 100mm
Power: 26.4W
Voltage: 230/1PH/50Hz
Max Amb. Temp: 40˚C
IP Rating: IPX4
Guarantee: 3 Years

iCON 60


Finish: White (other covers available on page 106)
Extract Volume: 78 l/sec
Sound Pressure d B (A) @ 3M: 41.6
Fan Type: Mixed
Mounting (Wall/Ceiling): Rec and Sur
Weight (Kg): 1.97
Outlet (dia): 150mm
Power: 9.4W
Voltage: 230/1PH/50Hz
Max Amb. Temp: 40˚C
IP Rating: IPX4
Guarantee: 3 Years

VARIOUS MODULES & ALTERNATIVE COLOUR COVERS AVAILABLE ON PAGE 106


iCON 15 (recessed)




iCON 30 (recessed)




iCON 60 (recessed)



iCON 30 (surface)



iCON 60 (surface)



Part Code	Description	RRP Inc VAT
SY7070	iCON 15 Fan White	£POA
SY7070CC	iCON 15 Fan Chrome	£POA

Part Code	Description	RRP Inc VAT
SY7101	iCON 30 Fan White	£POA

Part Code	Description	RRP Inc VAT
SY7660	iCON 60 Fan White	£POA

Prices available upon request

Airflow iCON

Extractor Fan Accessories

(a)



(b)



(c)



(d)



(e)




Modules

Part Code	Description	RRP Inc VAT
SY7071	(a) PCM Module Pull Cord	£POA
SY7072	(b) TM Module Timer	£POA
SY7094	(c) HTM Module Humidity/Timer/Pull Cord	£POA
SY7095	(d) PRTM Module PIR/Timer	£POA
SY7096	(e) PRHTM Module PIR/Humidity/Timer	£POA

Accessories*


(f)



(g)



(h)



Part Code	Description	RRP Inc VAT
SY7099	(f) Terracotta 100mm Cavity Wall & Grille	£POA
SY7100	(g) Terracotta Flexi 100mm Cavity Wall & Grille	£POA
SY7008B	(h) Round PVC Duct & Gravity Outlet Kit	£POA

*Accessories not suitable for iCON 60



Anthracite Cover



Chrome Cover



Navy Blue Cover



Sandstone Cover



Silver Cover



Turquoise Cover



Ultimate Grey Cover

iCON 15 Covers

Part Code	Description	RRP Inc VAT
SY7097ANTH	Anthracite	£POA
SY7097CC	Chrome	£POA
SY7097NB	Navy Blue	£POA
SY7097SAND	Sandstone	£POA
SY7097SIL	Silver	£POA
SY7097TQ	Turquoise	£POA
SY7097UG	Ultimate Grey	£POA

iCON 30 Covers

(Also suitable for iCON 30S on page 107)

Part Code	Description	RRP Inc VAT
SY7098ANTH	Anthracite	£POA
SY7098NB	Navy Blue	£POA
SSY7098SAND	Sandstone	£POA
SY7098SIL	Silver	£POA
SY7098TQ	Turquoise	£POA
SY7098UG	Ultimate Grey	£POA

iCON 60 Covers

Part Code	Description	RRP Inc VAT
SY7760/C/ANTH	Anthracite	£POA
SY7760/C/NB	Navy Blue	£POA
SSY7760/C/SAND	Sandstone	£POA
SY7760/C/SIL	Silver	£POA
SY7760/C/TQ	Turquoise	£POA
SY7760/C/UG	Ultimate Grey	£POA

Prices available upon request

Airflow iCON

Extractor Fans




iCON 30s Low Voltage


Finish: White (other covers available on page 106)
Extract Volume: 37 l/sec
Sound Pressure d B (A) @ 3M: 36.2
Fan Type: Mixed
Mounting (Wall/Ceiling): Rec and Sur
Weight (Kg): 0.84
Outlet (dia): 100mm
Power: 12.2W
Voltage: 12Vdc
Max Amb. Temp: 40˚C
IP Rating: IPX4
Guarantee: 3 Years

Pull cord/timer module available to purchase separately, listed below. Different colour covers and cavity wall accessories are available, listed on page 106.

iCON 30S (recessed)



iCON 30S (surface)



Part Code	Description	RRP Inc VAT
SY7079	iCON 30S Low Voltage Fan White	£POA
SY7080	Pull Cord/Timer Module for LV fan	£POA






QuietAir Fan

Finish: White or Black
Extract Volume: 20.8/25 l/sec
Sound Pressure d B (A) @ 3M: 25/30
Fan Type: Axial
Mounting: Wall/Ceiling
Weight (Kg): 0.8
Outlet (dia): 100mm
Power: 5/9W
Voltage: 230/1PH/50Hz
Max Amb. Temp: 40˚C
IP Rating: IP45
Guarantee: 3 Years

In addition, for QuietAir QT 100T (With Timer)
Adjustable Timer (Minutes): 6,10,15,21
Interval Timer, Auto Start (hours): 0,8,12,24

Cavity wall accessories are available, listed on page 106.



Part Code	Description	RRP Inc VAT
SY7073	QuietAir QT 100B White	£POA
SY7074	QuietAir Timer QT 100T White	£POA
SY7073BK	QuietAir QT 100B Black	£POA
SY7074BK	QuietAir Timer QT 100T Black	£POA




Shower Light Fan

Finish: White and Chrome Bezel included
Extract Volume: 30 l/sec
Sound Pressure d B (A) @ 3M: 39
Fan Type: Axial
Mounting: Inline
Weight (Kg): 0.41
Outlet (dia): 150mm
Power: 16W (Fan only)
Voltage: 230/1PH/50Hz
IP Rating: IPX4
LED Colour: Natural or Cool White
Guarantee: 3 Years

Kit includes;

- Fan with timer
- Flex Duct
- Ties
- LED Lamp (Natural or Cool White option)
- Chrome and White Grille
- External Grille



Part Code	Description	RRP Inc VAT
SY7688A/NW	Natural White Kit	£POA
SY7688A/CW	Cool White Kit	£POA

Prices available upon request

Extractor Fans

Airstream Pro

Extractor Fans 4in/6in






Air-Stream Pro
Extractor Fans with Timer - 4 inch

Finish: White, Chrome, Stainless Steel & Black
Timer: Adjustable up to 30 minutes
Extract Volume:20 l/sec
Sound Pressure d B (A) @ 3M: 35
Motor: Copper Winding
Mounting: Wall/Ceiling
Weight (Kg): 0.66
Outlet (dia): 100mm
Power: 9.5W
Voltage: 220 - 240V
IP Rating: IPX4
Guarantee: 2 Years


Part Code	Description	RRP Inc VAT
SY7059WH	Air-Stream Pro 4 Inch White	£61.95
SY7059CC	Air-Stream Pro 4 Inch Chrome	£61.95
SY7059SS	Air-Stream Pro 4 Inch Stainless Steel	£61.95
SY7059BK	Air-Stream Pro 4 Inch Black	£61.95



Air-Stream Pro
Extractor Fans with Timer - 6 inch

Finish: White, Chrome
Timer: Adjustable up to 30 minutes
Extract Volume: 60 l/sec
Sound Pressure d B (A) @ 3M: 45
Motor: Copper Winding
Mounting: Wall/Ceiling
Weight (Kg): 0.84
Outlet (dia): 150mm
Power: 17.8W
Voltage: 220 - 240V
IP Rating: IPX4
Guarantee: 2 Years

Part Code	Description	RRP Inc VAT
SY7059WH-6	Air-Stream Pro 6 Inch White	£73.20
SY7059CC-6	Air-Stream Pro 6 Inch Chrome	£57.60



Cavity wall kits available on page 106

Shaver Sockets



Finish: Chrome
Power Supply: 240/110V
Guarantee: 12 Months

This shaver socket is suitable for use in bathrooms as required by IEE wiring regulations BS7671: 2001 Section 601



Finish: White
Power Supply: 240/110V
Guarantee: 12 Months


This shaver socket is suitable for use in bathrooms as required by IEE wiring regulations BS7671: 2001 Section 601



Finish: Black
Power Supply: 240/110V
Guarantee: 12 Months

This shaver socket is suitable for use in bathrooms as required by IEE wiring regulations BS7671: 2001 Section 601

Part Code	Description	Power Supply	RRP Inc VAT
SY9660CC	Shaver Socket Chrome	240/110V	£29.40
SY9258	Shaver Socket White	240/110V	£23.63
SY9660BK	Shaver Socket Black	240/110V	£67.20



Prices listed are R.R.P including VAT

Bathroom Regulations

All installations must comply to guidelines based on the zonal requirements. These regulations apply to domestic installations only.

SycamoreLED.com recommends that all electrical work carried out is done by a suitably qualified electrician in accordance with the current IET wiring regulations (18th edition).

Bathroom lights are classified using an IP (Ingress Protection) rating. The IP characters are followed by 2 numbers which refer to the level of protection against the ingress of foreign bodies (1st number) and protection against the ingress of liquids (2nd number).


Zone 0 - is inside the bath or shower. Any fitting used in this zone must be low voltage (max 12v) and be rated at least IP67 (immersion proof).

Zone 1 - is an area above the bath to a height of 2.25m from the floor. In this zone a minimum rating of IPX4 is required.

Zone 2 - is an area stretching 0.6m outside the perimeter of the bath and to a height of 2.25m from the floor. In this zone a minimum of IPX4 is required. Around a wash basin, a radius within 60cm is considered as zone 2.

Outside zones - has no special requirements unless water jets are likely to be used for cleaning purposes.

All zones - any electrical circuits in a bathroom must be protected by a 30 mA Residual Current Device (RCD). Electrical equipment exposed to water jets for cleaning purposes must be at least IPX5.



First digit - Solids						
0	1	2	3	4	5	6
No protection	Protected against touch by hand (50mm)	Protected against touch by fingers (12mm)	Protected against tools and wires (2.5mm)	Protected against tools and small wires (1mm)	Limited dust ingress protection	Total dust ingress protection

Second digit - Liquids								
0	1	2	3	4	5	6	7	8
No protection	Protection against condensation	Protection against water spray 15 degree from the vertical	Protection against water spray 60 degree from the vertical	Protection against water spray from any direction	Protection against low pressure water jets from any direction	Protection against high pressure water jets from any direction	Protection against immersion between 15cm and 1m depth	Protection against long term immersion under pressure

Looking for further assistance?

Please call our dedicated technical team for help with bathroom regulations, lighting plans or any other technical queries

T: 0113 2866686 or email tech@sycamoreLED.com

Important Information

Guarantee

At Sycamore, we stand behind the quality and reliability of our products. That's why we offer a 5-year guarantee on the majority of our range, ensuring peace of mind for our customers.

This guarantee excludes extractor fans, battery operated products, accessories, lamps & lighting controls, which have a 1 - 3 year guarantee. For the guarantee period on specific products and to view our full terms and conditions, please visit our website.

Delivery

A carriage charge of £8.50 will be added to all invoices on orders of under £150.00 excluding VAT to UK mainland addresses. All offshore islands and EC countries will incur a separate delivery charge, based on the weight of the total order. Please note administration and delivery charges are subject to change without prior notice.

Open a Trade Account

Sycamore are a trade only company. To apply for a trade account with us please fill in our online form on our website. For any queries about opening an account with us please contact our sales team.

T & C's

We do our very best to make sure everything in this catalogue is accurate and up to date at the time of printing. However, mistakes can occasionally happen, and we can't take responsibility for any loss or inconvenience caused by an error or omission.

From time to time, product details might change slightly as we make improvements, so what you receive may vary a little from the pictures or descriptions shown here. Colours are represented as closely as possible, but exact matches aren't always guaranteed.

For the full details of our terms and conditions, please visit our website.

Get in touch

SycamoreLED.com

Unit 5A, Helios 47, 3 Isabella Road

Garforth, Leeds, LS25 2DY, UK

Call us on +44 (0)113 286 6686

Email sales@sycamoreLED.com

www.sycamoreLED.com

Follow us on social media for exciting news and updates!

Sycamore Lighting Ltd
Unit 5A, Helios 47
3 Isabella Road
Garforth, Leeds
LS25 2DY

www.sycamoreLED.com
Tel: +44 (0)113 286 6686
sales@sycamoreLED.com

Part of GCH
www.gchcorporation.com