
ClickLux®
Durable, Rigid, Click-Fit Luxury Vinyl | By Verona
NEW
RANGE
ClickLux
PREMIUM



ClickLux® Premium Limed Beech
**Also featuring Maya Linear Pearl 350x350mm mosaic wall tiles.**
**See page 38 for suggested** scotias (L10088), thresholds (A14265) & radiator pipe collars (A14275)



ClickLux®
Durable, Rigid, Click-Fit Luxury Vinyl | By Verona

ClickLux® combines next generation technology with the latest design trends to offer a stylish and versatile collection of rigid SPC flooring that's suitable for a wide range of projects.

You will find everything you need to know about ClickLux® on the following pages, from design inspiration to technical specifications and installation advice.

Cover image - **ClickLux® Premium Natural Oak**










# Contents


4. What is ClickLux®?
6. Wood Effect Planks
16. Wood Effect Herringbone
22. Stone Effect Tiles
30. What is ClickLux® Premium?
32. Premium Wood Effect Planks
38. Accessories
40. Installation Advice & Aftercare
42. Index




Waterproof

Easy to Install

Dust Free

Warm Underfoot

Anti-Bacterial

Sound Insulation

Low Maintenance

Eco-Friendly

PHTHALATE Free

Integrated Underlay

# What is ClickLux®?

ClickLux® is a collection of premium SPC planks, herringbone & tiles reminiscent of natural wood and stone but with several added benefits.

The wood effects come in an elongated 177.8 x 1219.2mm traditional plank size & smaller 126 x 630mm format to create herringbone patterned floors, whilst the stone effect designs come in a classic 305 x 610mm size.

Manufactured using state of the art technology, SPC (Stone Polymer Composite) is the next generation of Luxury Vinyl Tiles, combining limestone and stabilisers to create a very durable core. SPC is hardwearing, waterproof and more rigid than traditional LVT, making it suitable for domestic and commercial projects.

ClickLux® features an easy to install locking system without the need for messy adhesives and you don't even have to worry about purchasing separate underlay as there's a foam underlay already built in to each plank, making any room instantly warm and cosy and speeding up the installation process. For added warmth the Clicklux® Collection can be used with in-floor radiant underfloor heating systems*.

ClickLux® comes with up to 20 years domestic warranty and up to 5 years commercial warranty, so you can be confident your new flooring will look good for years to come.


*See installation advice on pages 40-41 for further information and technical specification


Bowfell Stone Grey


Rustic Willow



# Next Generation
## SPC Layers



### PROTECTIVE WEAR LAYERS
These layers protect against sun damage, spills and scratches as well as giving the plank or tile a realistic texture. These can differ slightly depending on the product design.

### COLOUR FILMS
Printed in high definition to give a realistic and authentic look

### SPC CORE
The Stone Polymer Composite core is durable, waterproof and rigid and has click-fit edging for easy installation

### UNDERLAY
Integrated 1mm IXPE foam provides heat and sound insulation

## Silver Birch

The soft grey shade and simple design of Silver Birch will complement a wide range of rooms, whilst the click-fit system and integrated underlay makes installation child's play.




The hygienic and dust-free finish is ideal for bedrooms

**See page 38 for suggested** scotias (L10088), thresholds (A14265) & radiator pipe collars (A14275)

**Code** L10007

**Type** Waterproof SPC

**Installation** I4F

**Plank size** 177.8 x 1219.2mm

**Thickness** 4mm + 1mm underlay

**Pack size** 2.167m$^2$

**Pieces per pack** 10

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)





**See page 38 for suggested** scotias (L10089), thresholds (A14266) & radiator pipe collars (A14276)

## Black Elm

This striking dark wood grain finish will create a sophisticated feel in any room, whilst also being waterproof and durable.

**Code** L10002

**Type** Waterproof SPC

**Installation** I4F

**Plank size** 177.8 x 1219.2mm

**Thickness** 4mm + 1mm underlay

**Pack size** 2.167m$^2$

**Pieces per pack** 10

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)

## Weathered Ash

Bridging the gap between cool grey and warmer natural wood shades, Weathered Ash will complement a variety of interior colour schemes.



**Also featuring Handmade White 75x300mm wall tiles.**
**See page 38 for suggested** scotias (L10087), thresholds (A14264) & radiator pipe collars (A14274)

**Code** L10003

**Type** Waterproof SPC

**Installation** I4F

**Plank size** 177.8 x 1219.2mm

**Thickness** 4mm + 1mm underlay

**Pack size** 2.167m$^2$

**Pieces per pack** 10

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)






**See page 38 for suggested** scotias (L10088), thresholds (A14265) & radiator pipe collars (A14275)

## Limed Oak

The palest of all the ClickLux® designs, Limed Oak has a soft neutral feel that will bring a sense of light and calm to any room.

**Code** L10010

**Type** Waterproof SPC

**Installation** I4F

**Plank size** 177.8 x 1219.2mm

**Thickness** 4mm + 1mm underlay

**Pack size** 2.167m$^2$

**Pieces per pack** 10

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)

## Light Oak

This classic Light Oak shade is contemporary yet timeless. Use throughout the home as a durable alternative to natural wood flooring that's warm underfoot.

**Code** L10005

**Type** Waterproof SPC

**Installation** I4F

**Plank size** 177.8 x 1219.2mm

**Thickness** 4mm + 1mm underlay

**Pack size** 2.167m$^2$

**Pieces per pack** 10

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)



**See page 38 for suggested** scotias (L10090), thresholds (A14267) & radiator pipe collars (A14277)






**See page 38 for suggested** scotias (L10090), thresholds (A14267) & radiator pipe collars (A14277)

## Warm Maple

Featuring very subtle cross-cut saw marks, Warm Maple gives the look and feel of real wood but in a waterproof finish that's ideal for bathrooms.

**Code** L10008

**Type** Waterproof SPC

**Installation** I4F

**Plank size** 177.8 x 1219.2mm

**Thickness** 4mm + 1mm underlay

**Pack size** 2.167m$^2$

**Pieces per pack** 10

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)

## Antique Cedar

This traditional timber effect design features subtle knot and wood grain details. It's ideal for creating seamless flooring from one room to the next throughout the home.

**Code** L10009

**Type** Waterproof SPC

**Installation** I4F

**Plank size** 177.8 x 1219.2mm

**Thickness** 4mm + 1mm underlay

**Pack size** 2.167m$^2$

**Pieces per pack** 10

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)



**See page 38 for suggested** scotias (L10087), thresholds (A14264) & radiator pipe collars (A14274)





**See page 38 for suggested** scotias (L10087), thresholds (A14264) & radiator pipe collars (A14274)

## Rustic Willow

Perfect for period properties, this is the most rustic of the ClickLux® designs. It offers realistic shading variations, wood grain details and a lightly distressed appearance, but unlike real wood it's completely waterproof.

**Code** L10006

**Type** Waterproof SPC

**Installation** I4F

**Plank size** 177.8 x 1219.2mm

**Thickness** 4mm + 1mm underlay

**Pack size** 2.167m$^2$

**Pieces per pack** 10

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)

## Golden Beech

Featuring a Golden Beech colour with subtle shade variations and wood grain detailing, this design will give any room a warm and cosy feel.




**See page 38 for suggested** scotias (L10085), thresholds (A14262) & radiator pipe collars (A14272)

**Code** L10001

**Type** Waterproof SPC

**Installation** I4F

**Plank size** 177.8 x 1219.2mm

**Thickness** 4mm + 1mm underlay

**Pack size** 2.167m$^2$

**Pieces per pack** 10

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)



## Rich Walnut

Deep and sophisticated, Rich Walnut is a timeless classic. Its low maintenance and sound insulating properties make it the perfect choice for busy areas such as hallways.



**See page 38 for suggested** scotias (L10086), thresholds (A14263) & radiator pipe collars (A14273)

**Code** L10004

**Type** Waterproof SPC

**Installation** I4F

**Plank size** 177.8 x 1219.2mm

**Thickness** 4mm + 1mm underlay

**Pack size** 2.167m$^2$

**Pieces per pack** 10

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)

## Wyre Silver Oak Herringbone

In a classic silver grey shade, Wyre is a sophisticated yet versatile option that works well with both cooler and warm toned colour schemes.

**Code** L10054

**Type** Waterproof SPC

**Installation** 5Gi

**Plank size** 126 x 630mm

**Thickness** 4.2mm + 1mm underlay

**Pack size** 2.22m$^2$

**Pieces per pack** 28

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)



**See page 38 for suggested** scotias (L10088), thresholds (A14265) & radiator pipe collars (A14275)



**Also featuring Hex Marble 175x202mm wall tiles.**
**See page 38 for suggested** scotias (L10087), thresholds (A14264) & radiator pipe collars (A14274)

## Haldon Antique Oak Herringbone

A mix of medium brown tones with a hint of grey, Haldon features a striking realistic wood effect design that's perfect for bringing harmony to your room decor.

**Code** L10055

**Type** Waterproof SPC

**Installation** 5Gi

**Plank size** 126 x 630mm

**Thickness** 4.2mm + 1mm underlay

**Pack size** 2.22m$^2$

**Pieces per pack** 28

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)

## Burnham Golden Oak Herringbone

The warm brown tones of Burnham exude luxury. It works well with neutral schemes and cottage style muted tones for a natural rustic look.

**Code** L10050

**Type** Waterproof SPC

**Installation** 5Gi

**Plank size** 126 x 630mm

**Thickness** 4.2mm + 1mm underlay

**Pack size** 2.22m$^2$

**Pieces per pack** 28

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)



**See page 38 for suggested** scotias (L10092), thresholds (A14269) & radiator pipe collars (A14279)





**See page 38 for suggested** scotias (L10092), thresholds (A14269) & radiator pipe collars (A14279)

## Rydal Natural Oak Herringbone

Featuring a stripped back, classic natural oak shade, Rydal is the perfect floor for adding interest in minimalist and modern style interiors.

**Code** L10051

**Type** Waterproof SPC

**Installation** 5Gi

**Plank size** 126 x 630mm

**Thickness** 4.2mm + 1mm underlay

**Pack size** 2.22m$^2$

**Pieces per pack** 28

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)

## Selwood Light Oak Herringbone

Effortlessly create Scandi-chic decor with Selwood, a light toned wood effect tile that works well with a pared back scheme full of warm whites, natural materials and black accents.

**Code** L10052

**Type** Waterproof SPC

**Installation** 5Gi

**Plank size** 126 x 630mm

**Thickness** 4.2mm + 1mm underlay

**Pack size** 2.22m$^2$

**Pieces per pack** 28

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)



**See page 38 for suggested** scotias (L10091), thresholds (A14268) & radiator pipe collars (A14278)





**See page 38 for suggested** scotias (L10088), thresholds (A14265) & radiator pipe collars (A14275)

## Ashdown Limed Oak Herringbone

With a shade that sits perfectly between cool light grey and warm washed oak, Ashdown provides the perfect neutral back drop for all interior decor, but in a premium herringbone pattern.

**Code** L10053

**Type** Waterproof SPC

**Installation** 5Gi

**Plank size** 126 x 630mm

**Thickness** 4.2mm + 1mm underlay

**Pack size** 2.22m$^2$

**Pieces per pack** 28

**Suitability** 0.3mm wear layer Heavy Domestic / Light Commercial (Class 23/31)

## Axia Concrete Anthracite

Perfect for modern interiors, Axia features subtle flecks of terrazzo stone-like pieces that give a nod to the industrial trend in a tonal Anthracite shade.



**Also featuring Central White 100x200mm wall tiles.**
**See page 38 for suggested** scotias (L10089), thresholds (A14266) & radiator pipe collars (A14276)

**Code** L10017

**Type** Waterproof SPC

**Installation** Uniclic

**Plank size** 305 x 610mm


**Thickness** 5mm + 1mm underlay

**Pack size** 1.86m$^2$

**Pieces per pack** 10

**Suitability** 0.55mm wear layer General Commercial (Class 23/31)






**See page 38 for suggested** scotias (L10093), thresholds (A14270) & radiator pipe collars (A14280)

## Axia Concrete Grey

Create a lived in feel with the weathered concrete effect of Axia Concrete Grey in a durable and hard wearing finish that's perfect for entrances and hallways.

**Code** L10016

**Type** Waterproof SPC

**Installation** Uniclic

**Plank size** 305 x 610mm

**Thickness** 5mm + 1mm underlay

**Pack size** 1.86m$^2$

**Pieces per pack** 10

**Suitability** 0.55mm wear layer General Commercial (Class 23/31)

## Chamonix Marble Beige

Create a cosy ambience in any room with the warming shade of Chamonix Marble Beige. Coordinate with natural textures for a rustic feel that's easy to maintain.



**Also featuring Coffee Stone Hexagon Mosaic 300x300mm wall tiles.**
**See page 38 for suggested** scotias (L10093), thresholds (A14270) & radiator pipe collars (A14280)

**Code** L10018

**Type** Waterproof SPC

**Installation** Uniclic

**Plank size** 305 x 610mm


**Thickness** 5mm + 1mm underlay

**Pack size** 1.86m$^2$

**Pieces per pack** 10

**Suitability** 0.55mm wear layer General Commercial (Class 23/31)






**Also featuring Handmade White 75x150mm wall tiles.**
**See page 38 for suggested** scotias (L10094), thresholds (A14271) & radiator pipe collars (A14281)

## Castello Marble White

Perfect for modern spaces, Castello Marble White offers a sleek and contemporary look with realistic veining detail. Unlike real marble, it doesn't require sealing and will look immaculate for years to come.

**Code** L10013

**Type** Waterproof SPC

**Installation** Uniclic

**Plank size** 305 x 610mm

**Thickness** 5mm + 1mm underlay

**Pack size** 1.86m$^2$

**Pieces per pack** 10

**Suitability** 0.55mm wear layer General Commercial (Class 23/31)

## Bowfell
## Stone Grey

Contemporary and sophisticated, Bowfell Stone Grey is a timeless classic. Extend the design seamlessly throughout the home for a flawless look that's also warm underfoot.



**See page 38 for suggested** scotias (L10093), thresholds (A14270) & radiator pipe collars (A14280)

**Code** L10021

**Type** Waterproof SPC

**Installation** Uniclic

**Plank size** 305 x 610mm

**Thickness** 5mm + 1mm underlay

**Pack size** 1.86m$^2$

**Pieces per pack** 10

**Suitability** 0.55mm wear layer General Commercial (Class 23/31)





**Also featuring Pueblo Silver 300x900mm wall tiles.**
**See page 38 for suggested** scotias (L10093), thresholds (A14270) & radiator pipe collars (A14280)

## Rodellar
## Stone Silver

The warm silver shade and natural stone design of Rodellar will complement a variety of rooms throughout the home, whilst the click-fit system makes installation a breeze.

**Code** L10024

**Type** Waterproof SPC

**Installation** Uniclic

**Plank size** 305 x 610mm

**Thickness** 5mm + 1mm underlay

**Pack size** 1.86m$^2$

**Pieces per pack** 10

**Suitability** 0.55mm wear layer General Commercial (Class 23/31)

## Pinnacle Concrete Anthracite

The striking deep Anthracite shade and weathered concrete effect finish will create a modern feel in any room, whilst also being splash-proof and practical.



**Also featuring Hope White 75x300mm wall tiles.**
**See page 38 for suggested** scotias (L10089), thresholds (A14266) & radiator pipe collars (A14276)

**Code** L10015

**Type** Waterproof SPC

**Installation** Uniclic

**Plank size** 305 x 610mm

**Thickness** 5mm + 1mm underlay

**Pack size** 1.86m$^2$

**Pieces per pack** 10

**Suitability** 0.55mm wear layer General Commercial (Class 23/31)





**Also featuring Loft White 300x600mm wall tiles.**
**See page 38 for suggested** scotias (L10093), thresholds (A14270) & radiator pipe collars (A14280)

## Pinnacle Concrete Grey

Featuring a distressed textured pattern with subtle tonal shading, Pinnacle Concrete Grey gives the look of a raw natural material but in a waterproof finish that's perfect for bathrooms.

**Code** L10014

**Type** Waterproof SPC

**Installation** Uniclic

**Plank size** 305 x 610mm

**Thickness** 5mm + 1mm underlay

**Pack size** 1.86m$^2$

**Pieces per pack** 10

**Suitability** 0.55mm wear layer General Commercial (Class 23/31)

Waterproof

Easy to install

Eco-friendly

Low maintenance

PHTHALATE free

6mm + 1.5mm underlay

Embossed in register

0.55mm wear layer

Warm underfoot

Dust free

Sound insulation

Antibacterial

# What is ClickLux® Premium?

ClickLux® Premium is a collection of larger format, premium, realistic planks reminiscent of natural wood, with several added benefits.

ClickLux® Premium planks are Embossed in Register (EIR), meaning the texture of the planks follows the patterns of the printed design, creating a very realistic look and feel of natural wood. ClickLux® Premium Planks come in a 228.6 x 1219.2mm size, they are 6mm thick plus they have a 1.5mm built-in underlay.

*See installation advice on pages 40-41 for further information and technical specification




**ClickLux® Premium** Light Birch



**ClickLux® Premium** Warm Chestnut






**ClickLux® Premium** Light Oak

## Ash Grey

Sleek and contemporary, Ash Grey blends the organic appeal of wood with an on-trend warm grey palette. The shading variation and wood grain texture offers a realistic look with a modern, minimalist feel. Perfect for bathrooms and open-plan living spaces seeking a refined, neutral base.

Code L10096

Type Waterproof SPC

Installation I4F

Plank size
228.6 x 1219.2mm

Thickness 6mm + 1.5mm underlay

Pack size 1.115m$^2$

Pieces per pack 4

Suitability
0.55mm wear layer
Heavy Domestic
Commercial (Class 23/34)



**Also featuring Flash Blush Pink 130x130mm wall tiles.**
**See page 38 for suggested** scotias (L10088), thresholds (A14265) & radiator pipe collars (A14275)





**Also featuring Linear White 313x296mm mosaic wall tiles.**
**See page 38 for suggested** scotias (L10090), thresholds (A14267) & radiator pipe collars (A14277)

## Light Birch

Brighten any space with the fresh, clean aesthetic of Light Birch. This Scandinavian-inspired plank features a light warm hue with woodgrain detailing, bringing an airy, natural warmth that complements both modern and traditional interior styles alike.

Code L10097

Type Waterproof SPC

Installation I4F

Plank size
228.6 x 1219.2mm

Thickness 6mm + 1.5mm underlay

Pack size 1.115m$^2$

Pieces per pack 4

Suitability
0.55mm wear layer
Heavy Domestic
Commercial (Class 23/34)

## Light Oak

Bring a touch of natural warmth to your space with Light Oak. Featuring soft golden tones and delicate woodgrain detailing, it offers a clean, timeless look that complements a wide range of interior styles. Its light, airy finish enhances brightness and makes any room feel more open and inviting.

Code L10098

Type Waterproof SPC

Installation I4F

Plank size
228.6 x 1219.2mm

Thickness 6mm + 1.5mm underlay

Pack size 1.115m$^2$

Pieces per pack 4

Suitability
0.55mm wear layer
Heavy Domestic
Commercial (Class 23/34)




**Also featuring Linear Green 313x296mm mosaic wall tiles.**
**See page 38 for suggested** scotias (L10090), thresholds (A14267) & radiator pipe collars (A14277)






**Also featuring Maya Linear Pearl 350x350mm mosaic wall tiles.**
**See page 38 for suggested** scotias (L10088), thresholds (A14265) & radiator pipe collars (A14275)

## Limed Beech

Subtle sophistication meets soft coastal charm with Limed Beech. This elegant flooring choice features a whitewashed finish that enhances its fine, linear grain. A versatile option that pairs beautifully with light interiors and relaxed, beach-inspired designs.

Code L10095

Type Waterproof SPC

Installation I4F

Plank size
228.6 x 1219.2mm

Thickness 6mm + 1.5mm underlay

Pack size 1.115m$^2$

Pieces per pack 4

Suitability
0.55mm wear layer
Heavy Domestic
Commercial (Class 23/34)

## Natural Oak

Classic and full of character, Natural Oak showcases the authentic look of real wood with rich honey tones and beautifully defined grain patterns. Its timeless appeal makes it a perfect foundation for both traditional and modern interiors, adding depth, texture, and natural charm to any room.

Code L10099

Type Waterproof SPC

Installation I4F

Plank size
228.6 x 1219.2mm

Thickness 6mm + 1.5mm underlay

Pack size 1.115m$^2$

Pieces per pack 4

Suitability
0.55mm wear layer
Heavy Domestic
Commercial (Class 23/34)




**Also featuring Maya Linear Turquoise 350x350mm mosaic wall tiles.**
**See page 38 for suggested** scotias (L10090), thresholds (A14267) & radiator pipe collars (A14277)






**Also featuring Clay Ocean 65x130mm wall tiles.**
**See page 38 for suggested** scotias (L10085), thresholds (A14262) & radiator pipe collars (A14272)

## Warm Chestnut

Rich and inviting, Warm Chestnut brings depth and elegance to any room. With deep amber hues and bold woodgrain texture, this flooring is designed to create a cozy, luxurious ambience, ideal for hallways, dining areas, or heritage-inspired décor.

Code L10100

Type Waterproof SPC

Installation I4F

Plank size
228.6 x 1219.2mm

Thickness 6mm + 1.5mm underlay

Pack size 1.115m$^2$

Pieces per pack 4

Suitability
0.55mm wear layer
Heavy Domestic
Commercial (Class 23/34)

# Accessories

## 16mm SPC Scotia





| CODE | DESCRIPTION |
|---|---|
| L10085 | Golden Beech |
| L10086 | Walnut |
| L10087 | Antique |
| L10088 | Silver |
| L10089 | Black |
| L10090 | Warm Oak |
| L10091 | Light Oak |
| L10092 | Natural Oak |
| L10093 | Plain Grey |
| L10094 | Plain White |

## SPC Threshold




| CODE | DESCRIPTION |
|---|---|
| A14262 | Golden Beech |
| A14263 | Walnut |
| A14264 | Antique |
| A14265 | Silver |
| A14266 | Black |
| A14267 | Warm Oak |
| A14268 | Light Oak |
| A14269 | Natural Oak |
| A14270 | Plain Grey |
| A14271 | Plain White |

## SPC Radiator Pipe Collar




| CODE | DESCRIPTION |
|---|---|
| A14272 | Golden Beech |
| A14273 | Walnut |
| A14274 | Antique |
| A14275 | Silver |
| A14276 | Black |
| A14277 | Warm Oak |
| A14278 | Light Oak |
| A14279 | Natural Oak |
| A14280 | Plain Grey |
| A14281 | Plain White |



**ClickLux® Premium** Limed Beech
Also featuring 16mm Warm Oak SPC Scotia & Maya Linear Pearl 350x350mm mosaic wall tiles.

## You will need:


Tape Measure


Utility Knife


T-Square


Spacer Wedges*


Rubber Mallet


Tapping Block


Pencil


Pull Bar

## You may also need:


Hole Saw


Vinyl Seam Sealer


100% Silicone


Skirting Boards


Scotia Trim Moulding

## How much ClickLux® do I need?

Follow these simple steps to calculate how many packs of ClickLux® you will need for your project.

1. Measure the length and width of the room in metres and multiply the two values together. This will give you the square metre coverage. For irregular shaped rooms, try breaking the area into smaller rectangles. Calculate the area of each rectangle then add the values together.

2. We recommend adding an additional 10% to the total area to allow for cuts and wastage during the installation process. To calculate this, simply multiply the total square metre coverage by 1.1.

3. Check the product pages in this brochure to find out how many square metres each pack of your chosen ClickLux® covers. Divide your total from step 2 by the pack coverage to calculate how many boxes of ClickLux® you will need. Always round this number up.

## Important information

Before installing ClickLux®, view the full installation guides to ensure you follow the correct acclimatisation process for the type if ClickLux® flooring you are installing.

Products must be stored horizontally in a dry area and not in uncontrolled environment conditions i.e. Garages, exterior patios etc. Do not place the boxes directly onto concrete flooring. If you have a concrete floor you must raise the boxes up slightly away from this. Always lay boxes flat to avoid damage to the locking profiles. ClickLux® should be installed in accordance with British Standard BS 8203:2017.

Before you begin, ensure that the sub-floor is dry, clean, smooth, level and free from dust and debris.

Sweep and/or vacuum the area and remove all obstructions such as furniture, doorplates and skirting boards where possible.

If you are installing ClickLux® in a kitchen or bathroom, ensure any fixed cabinets have already been installed as ClickLux® cannot be installed underneath these.

To ensure your ClickLux® floor looks its best, select boxes with the same batch and production date and mix pieces from multiple packages to achieve a natural shading blend. Be sure to inspect each piece for colour, shade, surface texture and possible damages prior to fixing.

DO NOT install pieces with damages or defects.

## Aftercare

ClickLux® SPC flooring is easy to maintain. Simply remove dust and loose debris by sweeping with a soft brush or vacuuming using a nozzle suitable for vinyl floors.

Although the product is Waterproof, we recommend that you mop up any spills straight away. Any stains can be removed using a well wrung out mop or damp cloth with warm water and a suitable vinyl floor cleaner, making sure to rinse and dry the floor. Never use abrasive scourers or incorrect acidic or alkaline cleaners that are not suitable for vinyl floors.

Protect your floors by installing doormats at the entrances to your home. Metal abrasion can scratch or discolour your flooring. Chairs and furniture should be fitted with protective furniture pads. Protect your finished floor from direct sunlight.

## Installation guides

Scan the QR code below with your smartphone camera to instantly view and download our full installation guides, or visit www.clicklux.co.uk



# Index



Antique Cedar
Planks Page 12


Black Elm
Planks Page 7


Golden Beech
Planks Page 14


Light Oak
Planks Page 10


Limed Oak
Planks Page 9


Rich Walnut
Planks Page 15


Rustic Willow
Planks Page 13


Silver Birch
Planks Page 6


Warm Maple
Planks Page 11


Weathered Ash
Planks Page 8


Ashdown Limed Oak
Herringbone Page 21


Burnham Golden Oak
Herringbone Page 18


Haldon Antique Oak
Herringbone Page 17


Rydal Natural Oak
Herringbone Page 19


Selwood Light Oak
Herringbone Page 20


Wyre Silver Oak
Herringbone Page 16


Axia Concrete Anthracite
Tiles Page 22


Axia Concrete Grey
Tiles Page 23


Bowfell Stone Grey
Tiles Page 26


Castello Marble White
Tiles Page 25


Chamonix Marble Beige
Tiles Page 24


Pinnacle Concrete Anthracite
Tiles Page 28


Pinnacle Concrete Grey
Tiles Page 29


Rodellar Stone Silver
Tiles Page 27


Ash Grey
Premium Plank Page 32


Light Birch
Premium Plank Page 33


Light Oak
Premium Plank Page 34


Limed Beech
Premium Plank Page 35


Natural Oak
Premium Plank Page 36


Warm Chestnut
Premium Plank Page 37

# ClickLux®

Durable, Rigid, Click-Fit Luxury Vinyl | By Verona

Please note that product images are shown for indicative purposes only and colour reproduction throughout this catalogue is as accurate as printing techniques allow. We recommend you visit your local retailer to view a sample of the product before purchasing. Please contact us to find your nearest retailer. Although we endeavour to communicate any changes as soon as possible, we reserve the right to amend or withdraw products contained within this catalogue at any time without prior notice. As variations in colour, shading and texture may occur between different batches of SPC, we recommend you purchase sufficient packs in one go to complete a project. Please ensure a satisfactory blend of shades can be achieved BEFORE fixing as claims relating to variations that were apparent before fixing will not be accepted once the product has been installed.

Please refer to our Terms & Conditions of Sale for further details.

**www.clicklux.co.uk**

Lumina, Park Approach, Thorpe Park, Leeds, LS15 8GB | 0113 244 4984 | www.veronagroup.co.uk | sales@veronagroup.co.uk

June 2025