

COMPACT PRICE LIST

Valid from 06/2024



WELCOME | To HSK Duschkabinenbau KG





t HSK, you get more than just a glass splashback. State-of-the-art and tested production technology allows us to customise the products to your individual requirements: made to measure, fast and flexible. Complete your bathroom furnishings with coordinated products from HSK such as shower cubicles, shower trays, fittings, wall cladding and designer radiators – all from a single source.

As a strong company in the region, we are proud of our qualified team, because people make the difference for us. Long-standing and experienced employees work on products with high functionality and quality at an excellent price. A high level of motivation and personal commitment in sales, technology and production ensure outstanding service and satisfied customers.

The topic of sustainability is also very important to us and is promoted and practised under the slogan "HSK Goes Green". We are constantly working on optimising materials, packaging, transport routes and work processes. The fact that our efforts have been recognised and that we were awarded 1st place as a TOP BRAND in the "Environment and Sustainability" category under the heading "Shower enclosures" confirms and motivates us to do even more for sustainability.



Vour

10000

Joachim Schulte-Lohgerber

Managing Shareholder of HSK Duschkabinenbau KG



CONTENT | Bathroom products



he Hochsauerlandkreis is the home of HSK. Like many other traditional companies, we feel very much at home in our location, because our heart beats for the Sauerland region. As a family business with a long tradition, we have developed from here over many years into an internationally active company and a strong partner to the sanitary trade. We produce shower solutions and provide the necessary warmth in the bathroom.





CONCEPT, PRICE AND QUALITY IS OUR PROMISE

www.hsk.de/en/gb

Product variety	
WALK IN	08
FRAMELESS & PARTIALLY	
FRAMED SHOWER CUBICLES	20
Pure + Pure Pro	20
K2 ^p	30
Atelier Plan	38
Aperto	46
Premium Softcube	54
Exklusiv 2.0	62
Regency	76
Solida	80
FRAMED SHOWER CUBICLES	86
Favorit Plus	86
MADE TO MEASURE	94
SHOWER TRAYS	98
BATH SCREENS	106
SHOWER & CO	112
SHOWER ACCESSORIES	122
DESIGNER RADIATORS	126
RENODECO WALL CLADDING	142


Complement
your bathroom
furnishings with
coordinated
products from
HSK



SHOWER CUBICLES



SHOWER & CO



DESIGNER RADIATORS



SHOWER TRAYS



BATH SCREENS



SHOWER ACCESSORIES



RENODECO

4 INTRO CONCEPT, PRICE AND QUALITY IS OUR PROMISE 5

TWINSEAL | Twice sealed, twice as brilliant






Low
maintenance
Crystal clear
aesthetic
Environmentally
friendly

Double protection with TwinSeal

Step 1: Using a specific magnetron technology, the open-pore, raw glass is sealed with a high-resistance corrosion protection layer. This ultra-thin, colour-neutral coating prevents limestone sticking and the glass becoming dull (corrosion).


Step 2: A hydrophobic nanolayer is applied giving the glass a special characteristic which is comparable to the drip-off effect of a lotus flower. When sitting on the TwinSeal layer, the water contracts so that it will drip off more readily.



Limestone and grime don't stick to the glass.



Limestone and grime coalesce with the glass.
The glass is soiled.



TWINSEAL GLASS SEALING

The groundbreaking technique allows for the double-coating of the glass surface of shower cubicles, thus providing twice as much brilliance. With the **TwinSeal** glass sealant, we have created a one-of-a-kind surface protection system that delivers a maximum of corrosion resistance together with convincing hydrophobic characteristics. This combination endows the inside of the glass with a double protection, thus ensuring superlative transparency. There is no more need for the cubicle to be cleaned after every shower. Just remove any deposits once a week with a microfibre cloth.



The benefits

- + 10 years guarantee
- + High corrosion resistance
- Hydrophobic characteristics
- ◆ Keeps limestone and grime off
 - + Easy to clean
 - + Improved hygiene



INTRO

CONCEPT, PRICE AND QUALITY IS OUR PROMISE 7



Experience new freedom

WALK IN

Open room and shower concepts

in a modern design with

practical functions and a wide

range of options.





Limitless

In addition to limitless showering pleasure, the free-standing Walk In solutions offer airy architecture with plenty of room for creativity. Step into a world of new dimensions. The optional frosted glass provides discreet privacy and a timeless

















WALK IN PRO

Front panel

8 mm Toughened safety glass (ESG)

			Chrome	Black	Brushed
			finish,	matt,	gunmetal/
Version	Element dimensions		stainless	white	gold /
cm	cm (Height 200)	Article no.	steel finish	matt	copper
		Toughened			
		safety glass,			
Standard siz	ze	clear glass (50)			
70	69 - 70	1733070	519,-	519,-	641,-
75	74 – 75	1733075	519,-	519,-	641,-
80	79 - 80	1733080	519,-	519,-	641,-
90	89 – 90	1733090	519,-	519,-	641,-
100	99 – 100	1733100	531,-	531,-	652,-
110	109 – 110	1733110	553,-	553,-	675,-
120	119 – 120	1733120	553,-	553,-	675,-
140	139 – 140	1733140	569,-	569,-	691,-
Made to me	easure				
		4722500	507	507	700
	Height to 220	1733500	587,-	587,-	708,-

Profile colours Walk In Pro



Glass options Walk In Pro, 8 mm Toughened safety glass (ESG)



Toughened safety glass, clear glass incl. HSK Shield

TwinSeal
+ 186,
Smoked glass
+ 92,
Sandblasted
+ 124,
Linea / Loft
+ 208,-







WALK IN K2^P

Sliding door, 2 parts

8 mm Toughened safety glass (ESG) with clip profile

Version	Element dimensions		Chrome		
cm	cm (Height 200)	Article no.	finish		
		Toughened			
		safety glass,			
Standard size		clear glass (50)			
120	116,8 - 118,8	2135120	1.173,-		
140	136,8 - 138,8	2135140	1.231,-		
160	156,8 - 158,8	2135160	1.291,-		
Made to measure					
	to 115 - 180 × 220	2135500	1.467,-		

Please indicate position of the front fixed panel.



WALK IN ATELIER PLAN

Sliding door, 2 parts

8 mm Toughened safety glass (ESG) technical profile with softclose

Version	Element dimensions		Chrome	Black
cm	cm (Height 206)	Article no.	finish	matt
		Toughened		
		safety glass,		
Standard size		clear glass (50)		
100	96,5 - 98,5	17308100	1.350,-	1.350,-
120	116,5 - 118,5	17308120	1.408,-	1.408,-
140	136,5 - 138,5	17308140	1.466,-	1.466,-
160	156,5 - 158,5	17308160	1.525,-	1.525,-

Made to measure

to 140 × 206	17308500	1.584,-	1.584,-
to 200 × 206	17308500	1.692,-	1.692,-

Please indicate position of the front fixed panel.

WALK IN REGENCY


Sliding door, 2 parts


8 / 6 mm Toughened safety glass (ESG)


-,	S						
Version	Element dimensions		Chrome	Black	Matt		
cm	cm (Height 200)	Article no.	finish	matt	gold		
		Toughened					
		safety glass,					
Standard size		clear glass (50)					
120	113,3 - 115,3	635120	857,-	1.098,-	1.098,-		
140	133,3 - 135,3	635140	944,-	1.185,-	1.185,-		
Made to measure							
		635500	1.293,-	1.534,-	1.534,-		

Please indicate position of the front fixed panel.
















WALK IN EXKLUSIV 2.0 SWINGING



Bi-fold door swinging

6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and buffer handle

	Element						
Version	dimensions	D1	D2		Aluminium	Chrome	Black
cm	cm (Height 200)	cm	cm	Article no.	silver matt	finish	matt
				Toughened			
				safety glass,			
Standard	size			clear glass (50)			
90	88 - 90	37,3	50,3	48206090	734,–	833,-	833,-
100	98 – 100	42,3	55,3	48206100	773,–	864,-	864,-
120	118 – 120	52,3	65,3	48206120	806,-	912,-	912,-
140	138 - 140	62,3	75,3	48206140	846,-	951,-	951,-

Made to measure

Made to measure

to 50 - 140 × 210

999,- 999,-

D1 = Front door element, D2 = Rear door element. Please indicate hinged side of the door. The hinge type Softcube, on the inside of the glass surface, is supplied as standard. Classic hinge shape is optionally available. Please indicate desired hinge shape.



WALK IN EXKLUSIV 2.0 SWINGING



938,- 1.055,- 1.055,-





Bi-fold door swinging with inline panel

6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside, keder profile for side panel and buffer handle

	Element						
Version	dimensions	D1	D2		Aluminium	Chrome	Black
cm	cm (Height 200)	cm	cm	Article no.	silver matt	finish	matt
			Toughened				
				safety glass,			
Standard	size			clear glass (50)			
90	87,5 - 90	28,9	34,7	48207090	773,-	880,-	880,-
100	97,5 – 100	32,3	41,3	48207100	817,-	912,-	912,-
120	117,5 – 120	42,3	51,3	48207120	846,-	958,–	958,-
140	137,5 - 140	52,3	61,3	48207140	880,-	999,–	999,–


48207500


D1 = Front door element, D2 = Rear door element. Please indicate hinged side of the door. The hinge type Softcube, on the inside of the glass surface, is supplied as standard. Classic hinge shape is optionally available. Please indicate desired hinge shape.

to 50 - 140 × 210

Walk In Exklusiv 2.0 bi-fold door swinging with inline panel


This Walk In bi-fold door offers a classic yet timeless solution for the whole family. It is ideal for small spaces or airy room concepts. The door element can be completely folded inwards or swivelled around the fitting. The glass-flush hinges on the inside and innovative profiles make cleaning the shower cubicles beautifully easy. The black matt colour rounds off the bathroom design and creates a modern look.






OPTIONS	Toughened safety glass, clear glass incl. HSK Shield incl. HSK Shield
GLASS	TwinSeal + 186,- + 372,-
	Smoked glass + 92,- + 184,-
	Sandblasted + 124,- + 248,-







The Walk In Aperto is particularly suitable for open-plan room and shower concepts. Thanks to the narrow fixed element, the door can simply be folded and swivelled away without touching the fitting. This creates a lot of extra space.



Toughened safety glass, clear glass GLASS OPTIONS incl. HSK Shield incl. HSK Shield TwinSeal + 186,-+ 372,-Smoked glass + 92,-+ 184,-Sandblasted + 124,-+ 248,-



WALK IN APERTO SWINGING



Pivot door swinging with inline panel

8/6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside, clip profile and buffer handle

Version	Element dimensions	Inline panel		Chrome	Black
cm	cm (Height 200)	cm (Height 200)	Article no.	finish	matt
			Toughened		
			safety glass,		
Standard size			clear glass (50)		
90	88,5 - 90,5	30,5 - 32,5	2826090	817,-	817,–
100	98,5 - 100,5	30,5 - 32,5	2826100	916,-	916,-
120	118,5 - 120,5	40,5 - 42,5	2826120	951,-	951,-

Made to measure

to 130 × 220	2826500	1.016,-	1.016,-
to 180 × 220	2826500	1.168,-	1.168,-

Please indicate hinged side of the door.



WALK IN APERTO SWINGING

Bi-fold door swinging with inline panel

8/6 mm Toughened safety glass (ESG)


with hinges flush with the glass on the inside, clip profile and buffer handle

Version	Element dimensions	Inline panel		Chrome	Black
cm	cm (Height 200)	cm (Height 200)	Article no.	finish	matt
			Toughened		
			safety glass,		
Standard s	ize		clear glass (50)		
100	98,5 - 100,5	25	2827100	968,-	968,-
120	118,5 - 120,5	30	2827120	999,–	999,–
140	138,5 - 140,5	40	2827140	1.027,-	1.027,-
160	158,5 - 160,5	60	2827160	1.055,-	1.055,-

Made to measure

to 130 × 210	2827500	1.121,-	1.121,-
to 180 × 210	2827500	1.218,-	1.218,-

Please indicate hinged side of the door.



The concept

PURE + PURE PRO

A minimalist design concept that optimally combines functionality and design.



HSK



Chrome finish (41)

Endlessly combinable

Pure – mimimalist to a maximum, where you need experts for taking measure and installing as there is no adjustment possiblity, whereas we offer adjustment with the very slim profile of the Pure Pro.

Tailored to your taste and your bathroom situation, you can combine the profile colour, the glass design and the product finish in many different ways. The Pure range is fitted with pivoting hinges that are flush with the glass on the inside and is supplied in a standard height of 200 cm.



Black matt (68)



White matt (70)



Stainless steel finish (90)



Brushed gunmetal (280)



Brushed gold (281)



Brushed copper (282)







+ 170,-

+ 48,-

PURE P.01 SWINGING

Hinged door swinging for recess 8 mm Toughened safety glass (ESG)

		Chrome	Black	Brushed
		finish,	matt,	gunmetal/
Width × height		stainless	white	gold/
cm	Article no.	steel finish	matt	copper
	Toughened			
	safety glass,			
Made to measure	clear glass (50)			
from 30 – 100 × 165 – 200	P.01	823,-	823,-	1.064,-
Special height (up to 220 cm)				. 1/.5 _
Special height (up to 220 cm)				+ 145

Please indicate hinged side of the door.

Drip profile (floor only chrome finish / black matt / white matt)

Cut-out or slope > 20 mm

Toughened safety glass, GLASS OPTIONS clear glass incl. HSK Shield incl. HSK Shield TwinSeal + 243,-+ 486,-Smoked glass + 145,-+ 290,-Sandblasted + 145,-+ 290,-



PURE P.04 SWINGING

8 mm Toughened safety glass (ESG)

Hinged door swinging with inline panel for recess

		Chrome	Black	Brushed
		finish,	matt,	gunmetal/
Width × height		stainless	white	gold/
cm	Article no.	steel finish	matt	copper

Toughened safety glass, clear glass (50) Made to measure from 60 - 120 × 165 - 200 1.057,- 1.057,- 1.538,-+ 206,-Special width (up to 160 cm)

+ 145,-Special height (up to 220 cm) + 170,-Cut-out or slope > 20 mm Drip profile (floor only chrome finish / black matt / white matt) + 48,-

Please indicate hinged side of the door.



PURE P.05 SWINGING

Saloon door

8 mm Toughened safety glass (ESG)

		Chrome	Black	Brushed	
		finish,	matt,	gunmetal/	
Width × height		stainless	white	gold/	
cm	Article no.	steel finish	matt	copper	
	Toughened				
	safety glass,				
Made to measure	clear glass (50)				
from 60 - 120 × 165 - 200	P.05	1.431,-	1.431,-	1.912,-	

Special width (up to 160 cm) + 206,-+ 145,-Special height (up to 220 cm) Drip profile (floor only chrome finish / black matt / white matt) + 48,-

Glass options Pure, 8 mm Toughened safety glass (ESG)



Handles



Cube





Perforated handle Bar handle K2

small* (59)

Only available in rome black matt stainless steel finish and brushed gunmetal.




gunmetal/

gold/

Chrome finish,

stainless

white



+ 48,-



Hinged door swinging with inline panel and side panel 8 mm Toughened safety glass (ESG)

Drip profile (floor only chrome finish / black matt / white matt)

			Chrome	Black	Brushed
			finish,	matt,	gunmetal/
V	/idth × height		stainless	white	gold/
	cm	Article no.	steel finish	matt	copper
		Toughened			
		safety glass,			
Made to mea	sure	clear glass (50)			
Hinged door	from 60 – 120	P.23	1.674,-	1.674,-	2.395,-
Side panel	from 30 – 120 ×				
	165 – 200				
5 11 111 11 4 11 11 11 11 11 160					. 206
Special width hinged door and side wall (up to 160 cm)					+ 206,–
Special height (up to 220 cm)					+ 145,-
Cut-out or slo	pe > 20 mm				+ 170,-

Please indicate hinged side of the door.

Toughened safety glass, clear glass
incl. HSK Shield
incl. HSK Shield
TwinSeal
+ 243,+ 486,Smoked glass
+ 145,+ 290,Sandblasted
+ 145,+ 290,-



PURE P.20 SWINGING

Hinged door swinging with side panel 8 mm Toughened safety glass (ESG)

Width × height

	cm	Article no.	steel finish	matt	copper
Made to meas	ure	Toughened safety glass, clear glass (50)			
Hinged door Side panel	from 30 – 100 from 30 – 120 × 165 – 200	P.20	1.445,-	1.445,-	1.926,-
Special width side panel (up to 160 cm) Special height (up to 220 cm)					+ 206,- + 145,-
Cut-out or slope > 20 mm					+ 170,-
Drip profile (flo	oor only chrome finish/b	olack matt/white	matt)		+ 48,-

Please indicate hinged side of the door.



PURE P.79

Walk In

8 mm Toughened safety glass (ESG)

		Chrome	Black	Brushed
		finish,	matt,	gunmetal/
Width × height		stainless	white	gold/
cm	Article no.	steel finish	matt	copper
	Toughened			
	safety glass,			
Made to measure	clear glass (50)			
from 30 - 120 × 165 - 200	P.79	629,-	629,-	869,–

Special width (up to 160 cm) + 206,Special height (up to 220 cm) + 145,Cut-out or slope > 20 mm + 170,-







Hinged door swinging with inline panel and side panel

8 mm Toughened safety glass (ESG)

			Chrome	Black	Brushed
			finish,	matt,	gunmetal/
Version	Element dimensions		stainless	white	gold/
cm	cm (Height 200)	Article no.	steel finish	matt	copper
		Toughened			
		safety glass,			
Standard size	hinged door	clear glass (50)			
90	86,6 - 87,6	2660090	1.008,-	1.008,-	1.489,-
100	96,6 - 97,6	2660100	1.057,-	1.057,-	1.538,-
120	116,6 - 117,6	2660120	1.105,-	1.105,-	1.586,-
Standard size	side panel				
90	86,6 - 87,6	2663090	727,-	727,-	848,-
100	96,6 - 97,6	2663100	751,-	751,-	872,-
Made to meas	ure				
Hinged door	from 60 – 120 ×	2660500	1.178,-	1.178,-	1.659,-
	165 – 200				
Side panel	from 30 – 120 ×	2663500	824,-	824,-	945,-
	165 – 200				

Please indicate hinged side of the door.

Toughened safety glass, clear glass GLASS OPTIONS incl. HSK Shield incl. HSK Shield TwinSeal + 243,-+ 486,-Smoked glass + 145,-+ 290,-Sandblasted + 145,-+ 290,-



PURE PRO SWINGING

+ 206,-+ 145,-

+ 170,-

+ 48,-

Hinged door swinging with inline panel for recess

ŏ	mm	iougnenea	sarety	giass	(ESG)	

			Chrome	Black	Brushed
			finish,	matt,	gunmetal/
Version	Element dimensions		stainless	white	gold/
cm	cm (Height 200)	Article no.	steel finish	matt	copper
		Toughened			
		safety glass,			
Standard size		clear glass (50)			
90	87,5 - 88,5	2661090	1.008,-	1.008,-	1.489,-
100	97,5 - 98,5	2661100	1.057,-	1.057,-	1.538,-
120	117,5 - 118,5	2661120	1.105,-	1.105,-	1.586,-

Made to measure

from 60 - 120 × 165 - 200

2661500	1.178,-	1.178,-	1.659,-

Please indicate hinged side of the door.

Options

Special width side panel (up to 160 cm)
Special height (up to 220 cm)
Cut-out or slope > 20 mm
Drip profile (floor only chrome finish / black matt / white matt)

Tightness and splash water protection

Completely dispensing with wall and floor profiles cannot achieve absolute impermeability. However, transparent seals significantly prevent splash water from escaping. Optionally available water mouldings additionally reinforce the splash protection.



Without a water bar, splash water may escape



The optional water moulding provides increased impact protection



Straightforward design with high standards

K2^P

These shower cubicles bring elegance to the bathroom.

Elegant aluminium profiles ensure easy installation of the high-quality glass.



K2^P | Straightforward design with high standards





A good combination

Advantages of both worlds: The high quality hinge from the K2 series is combined with a clip profile. This means that the $\mathrm{K2}^{\mathrm{p}}$ can cope perfectly with uneven walls and enables easy installation.




Easy to clean

The K2^p hinges are flush with the glass on the inside and therefore easy to clean. This results in fewer deposits and makes it much easier to clean the glass elements.



Beautifully shaped

Shower cubicles thrive on high-quality materials and functional details. This means that the handles on the wide range of hinged, sliding, swing and bi-folding doors are also a special feature. HSK offers a wide range of handle solutions for convenient handling and timeless design.



Smooth

The doors in the $K2^{P}$ series glide smoothly and quietly along a closed track. The design has already won two awards.



K2^P | Straightforward design with high standards





2125500

2.208,-



Corner entry swinging, 4 parts

8 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and clip profile

Version cm	Shower tray installation dimensions cm (Height 200)	Tile dimensions in cm	Article no.	Chrome finish
			Toughened safety glass,	
75 × 90	70.5	75.0 77.0	clear glass (50) 2125012	1.996,-
80 × 80 80 × 90	78,5 – 80,5	75,9 – 77,9	2125014 2125015	1.950,- 1.996,-
90 × 75 90 × 80			2125016 2125017	1.996,-
90 × 90 100 × 100	88,5 - 90,5 98,5 - 100,5	85,9 - 87,9 95,9 - 97,9	2125018 2125019	2.032,– 2.113,–
Made to meas	ure			

Toughened safety glass, clear glass GLASS OPTIONS incl. HSK Shield incl. HSK Shield TwinSeal + 186,-+ 372,-Smoked glass + 92,-+ 184,-Sandblasted + 124,-+ 248,-



K2^P SWINGING

Hinged door swinging with inline panel for recess

8 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and clip profile

Version	Recess dimensions		Chrome
cm	cm (Height 200)	Article no.	finish
		Toughened	
		safety glass,	
Standard size		clear glass (50)	
75	72 – 75	2105075	1.092,-
80	77 – 80	2105080	1.092,-
90	87 - 90	2105090	1.128,-
100	97 – 100	2105100	1.173,-
120	117 – 120	2105120	1.231,-
Made to measure			
	to 180 × 220	2105500	1.339,–

Please indicate hinged side of the door.

OPTIONS	To
GLASS	Tv
	Sn

Toughened safety glass, clear glass incl. HSK Shield
incl. HSK Shield
TwinSeal
+ 186,-
+ 372,-
Smoked glass
+ 92,-
+ 184,-
Sandblasted
+ 124,-
+ 248,-

34 SHOWER CUBICLES

to 130 × 220

K2^P | Straightforward design with high standards





K2^P

Recess slider, 2 parts

8 mm Toughened safety glass (ESG) with clip profile

Version	Recess dimensions		Chrome
cm	cm (Height 200)	Article no.	finish
		Toughened	
		safety glass,	
Standard size		clear glass (50)	
120	118,5 - 120,5	2122120	1.173,-
140	138,5 - 140,5	2122140	1.231,-
160	158,5 - 160,5	2122160	1.291,-
Made to measure			
	to 200 × 220	2122500	1.467,-

Please indicate position of the front fixed panel.

Toughened safety glass, clear glass GLASS OPTIONS incl. HSK Shield incl. HSK Shield TwinSeal + 186,-+ 372,-Smoked glass + 92,-+ 184,-Sandblasted + 124,-+ 248,-



K2^P

Slider, 2 parts with side panel

8 mm Toughened safety glass (ESG) with clip profile

	Shower tray			
Version	installation dimensions	Tile dimensions		Chrome
cm	cm (Height 200)	in cm	Article no.	finish
			Toughened	
			safety glass,	
Standard size			clear glass (50)	
120 × 90	118,5 - 120,5	115,3 – 117,3 ×	2140120	1.822,-
		85,3 - 87,3		
140 × 90	138,5 - 140,5	135,3 – 137,3 ×	2140140	1.878,-
		85,3 - 87,3		
160 × 90	158,5 - 160,5	155,3 - 157,3 ×	2140160	1.938,-
		85,3 - 87,3		
Made to measur	re			
Front element	to 200 × 2	220	2140500	2.114,-

to 130 × 220

Please indicate position of the side panel

Side panel

2	Tougher clear gla		
<i>-</i>		incl	
)		incl	
า า	Twi	nSea	
<u> </u>		+ 18	
כ		+ 37	
	Smo	ked	
		+ 9	
		+ 18	

ned safety glass, . HSK Shield . HSK Shield 86,-372,glass 92,-Sandblasted + 124,-+ 248,-



Modern lightness with profile

ATELIER PLAN

Clear lines combined with 8 mm thick glass elements create a light look.



ATELIER PLAN | Modern lightness with profile





Straightforward

The Atelier Plan hinge, which is flush with the glass on the inside, impresses with its clear yet light design language. The standard rising/butt mechanism makes handling more convenient.



Striking

The handles in the Atelier Plan series are visual eye-catchers on the shower door and combine slimline design with convenient handling.



Reliable

A magnetic closing bar in combination with the ergonomic handles ensures that the 8 mm doors close cleanly and reliably.




Swinging

The Atelier Plan profiles of the bi-fold door solutions have chrome-plated pivot bearings with a swing function. The integrated rising/butt mechanism ensures easy opening and closing.



ATELIER PLAN | Modern lightness with profile







Recess slider, 2 parts

8 mm Toughened safety glass (ESG) with technical profile with softclose

Version	Recess dimensions	I	Chrome	Black
cm	cm (Height 200)	Article no.	finish	matt
		Toughened		
		safety glass,		
Standard size		clear glass (50)		
100	98,5 - 100,5	17228100	1.350,-	1.350,-
120	118,5 - 120,5	17228120	1.408,-	1.408,-
140	138,5 - 140,5	17228140	1.466,-	1.466,-
160	158,5 - 160,5	17228160	1.525,-	1.525,-
Made to measure				
	to 140 × 220	17228500	1.584,-	1.584,-
	to 200 × 220	17228500	1.692,-	1.692,-

Please indicate position of the front fixed panel.





ATELIER PLAN

Slider, 2 parts with side panel

8 mm Toughened safety glass (ESG) with technical profile with softclose

	Shower tray				
	installation	Tile			
Version	dimensions	dimensions		Chrome	Black
cm	cm (Height 206)	cm	Article no.	finish	matt
			Toughened		
			safety glass,		
Standard size			clear glass (50)		
100 / 90	98,5 - 100,5 /	95,6 - 97,6 /	17408100	1.996,-	1.996,-
	88,5 - 90,5	85,6 - 87,6			
120 / 90	118,5 - 120,5 /	115,6 - 117,6 /	17408120	2.054,-	2.054,-
	88,5 - 90,5	85,6 - 87,6			
140 / 90	138,5 - 140,5 /	135,6 - 137,6 /	17408140	2.113,-	2.113,-
	88,5 - 90,5	85,6 - 87,6			
160 / 90	158,5 - 160,5 /	155,6 - 157,6 /	17408160	2.173,-	2.173,-
	88,5 - 90,5	85,6 - 87,6			

Made to measure

Front	to 140 × 220	17408500	2.208,-	2.208,-
element	to 200 × 220	17408500	2.347,-	2.347,-
Side panel	to 130 × 220			

Please indicate position of the side panel.



ATELIER PLAN

Hinged door with inline panel for recess

8 mm Toughened safety glass (ESG)


with hinges flush with the glass on the inside and clip profile

Version	Recess dimensions		Chrome	Black
cm	cm (Height 200)	Article no.	finish	matt
		Toughened		
		safety glass,		
Standard size		clear glass (50)		
75	73,5 - 75,5	17018075	857,-	857,-
80	78,5 - 80,5	17018080	857,-	857,-
90	88,5 - 90,5	17018090	864,-	864,-
100	98,5 - 100,5	17018100	951,-	951,-
120	118,5 - 120,5	17018120	982,-	982,-
Made to measure				
	to 130 × 220	17018500	1.009,-	1.009,-

Please indicate hinged side of the door.

ATELIER PLAN | Modern lightness with profile





Pic. shows optional handle on second door unit

ATELIER PLAN SWINGING

Bi-fold door swinging for recess

8 mm Toughened safety glass (ESG) with hinges flush with the glass on the inside

Version	Recess dimensions		Chrome	Black
cm	cm (Height 200)	Article no.	finish	matt
		Toughened		
		safety glass,		
Standard size		clear glass (50)		
75	73,2 - 74,7	17088075	1.022,-	1.022,-
80	78,2 - 79,7	17088080	1.022,-	1.022,-
90	88,2 - 89,7	17088090	1.056,-	1.056,-
100	98,2 - 99,7	17088100	1.087,-	1.087,-
120	118,2 - 119,7	17088120	1.152,-	1.152,-
Made to measur	e			
	to 102 × 220	17088500	1.287,-	1.287,-
	to 130 × 200	17088500	1.287,-	1.287,-

Please indicate hinged side of the door.

ATELIER PLAN

Hinged door with inline panel and side panel

8 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and clip profile

to 130 × 220

to 130,1 - 160 × 220

	Shower tray				
	installation	Tile			
Version	dimensions	dimensions		Chrome	Black
cm	cm (Height 200)	cm	Article no.	finish	matt
			Toughened		
			safety glass,		
Standard size	hinged door		clear glass (50)		
80	78,5 - 80,5	75,6 – 77,6	17708080	821,-	821,-
90	88,5 - 90,5	85,6 - 87,6	17708090	869,-	869,–
100	98,5 - 100,5	95,6 - 97,6	17708100	916,-	916,-
Standard size	side panel				
80	78,5 - 80,5	75,6 - 77,6	17908080	621,-	621,-
90	88,5 - 90,5	85,6 - 87,6	17908090	658,-	658,-
100	98,5 - 100,5	95,6 - 97,6	17908100	691,-	691,-
Made to meas	ure				
Hinged door	to 130	× 220	17708500	999,-	999,-

17908500

17908500

739,-

810,-

739,-

810,-

Please indicate hinged side of the door.

Side panel

Toughened safety glass, clear glass
incl. HSK Shield
incl. HSK Shield
TwinSeal
+ 186,+ 372,Smoked glass
+ 92,+ 184,Sandblasted
+ 124,+ 248,-

Pic. shows optional handle on second door unit



ATELIER PLAN SWINGING

Bi-fold corner entry swinging

 $8\ mm$ Toughened safety glass (ESG) with hinges flush with the glass on the inside

	Shower tray				
	installation	Tile			
Version	dimensions	dimensions		Chrome	Black
cm	cm (Height 200)	cm	Article no.	finish	matt
			Toughened		
			safety glass,		
Standard size			clear glass (50)		
75	74 - 75,5	71,1 - 72,6	17288010	1.715,-	1.715,-
80	79 – 80,5	76,1 - 77,6	17288014	1.715,-	1.715,-
90	89 - 90,5	86,1 - 87,6	17288018	1.814,-	1.814,-
100	99 – 100,5	96,1 - 97,6	17288019	1.901,-	1.901,-
120	119 – 120,5	116,1 - 117,6	17288028	2.087,-	2.087,-

Made to measure

to 102 × 220	17288500	1.996,-	1.996,-
to 130 × 200	17288500	2.173,-	2.173,-



Innovation for new open spaces

APERTO

Convenient access to any room
situation: the Aperto hinge allows
the door to be opened outwards
as well as inwards, offering a wide
range of design options.






APERTO | Innovation for new open spaces





Comfortable

The award-winning Aperto hinge impresses with its spaciousness – the shower door can be swivelled inwards and outwards. Handles, hinges, wall profiles and stabilisation brackets are perfectly coordinated in design.



Easy to clean

All hinges form a perfect unit with the toughened safety glass (ESG) of the shower cubicles, as they are flush with the glass on the inside. This makes cleaning and caring for the glass surfaces $% \left\{ 1,2,\ldots ,n\right\}$ particularly easy.




Stable

A solid stabilisation bar also ensures that the glass elements in Aperto are held securely in place. The rounded corners give the shower cubicles a soft look.



Invisible

The clip profile is also ideally matched to the other elements of the shower cubicles. The concealed installation technology ensures simple installation of the shower cubicles. The smooth surface of the profile is also particularly easy to clean.



APERTO | Innovation for new open spaces







Bi-fold door window solution swinging, 5 parts

8/6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside, clip profile and buffer handle

Width	Height	Article no.	Chrome	Black
cm	cm		finish	matt
Made to measure up to max. 140 or 100 per door, 2 parts	150 – 210	Toughened safety glass, clear glass (50) 2818500	2.313,-	2.313,-

Please enclose a dimensional sketch.





APERTO SWINGING

Quadrant swinging, 4 parts

8/6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and clip profile

	Shower tray installation	Tile			
Version	dimensions	dimensions		Chrome	Black
cm	cm (Height 200)	cm	Article no.	finish	matt
			Toughened		
			safety glass,		
Standard size, r	adius 550		clear glass (50)		
90	88,5 - 90,5	85,8 - 87,8	2850090550	1.545,-	1.545,-
100 × 90 L*			2850021550	1.643,-	1.643,-
90 × 100 R*			2850020550	1.643,-	1.643,-
100	98,5 – 100,5	95,8 - 97,8	2850100550	1.643,-	1.643,-
120 × 90 L*			2850025550	1.725,-	1.725,-
90 × 120 R*			2850024550	1.725,-	1.725,-

Made to measure

to 85 – 130	2850500550	1.798,-	1.798,-

No TwinSeal and Smoked glass possible for round showers.

^{*}The dimension of the matching shower tray is a mirror image. Please take into consideration when ordering.



APERTO SWINGING

Corner entry swinging, 4 parts

8/6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and clip profile

	Shower tray				
	installation	Tile			
Version	dimensions	dimensions		Chrome	Black
cm	cm (Height 200)	cm	Article no.	finish	matt
			Toughened		
			safety glass,		
Standard size			clear glass (50)		
75 × 90			2820012	1.398,-	1.398,-
80 × 80	78,5 - 80,5	75,7 - 77,7	2820014	1.374,-	1.374,-
80 × 90			2820015	1.398,-	1.398,-
90 × 75			2820016	1.398,-	1.398,-
90 × 80			2820017	1.398,-	1.398,-
90 × 90	88,5 - 90,5	85,7 - 87,7	2820018	1.408,-	1.408,-
100 × 100	98,5 - 100,5	95,7 - 97,7	2820019	1.525,-	1.525,-
80 × 100			2820030	1.491,-	1.491,-
100 × 80			2820031	1.491,-	1.491,-
Made to meas	ure				

2820500 1.597,- 1.597,to 130 × 220

APERTO | Innovation for new open spaces



1.698,- 1.698,-





Hinged door swinging with inline panel and side panel

8/6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and clip profile

to 130 × 220

to 130 × 220

	Shower tray				
	installation	Tile			
Version	dimensions	dimensions		Chrome	Black
cm	cm (Height 200)	cm	Article no.	finish	matt
			Toughened		
			safety glass,		
Standard size	hinged door		clear glass (50)		
80	78,5 - 80,5	75,7 - 77,7	2800080	794,–	794,–
90	88,5 - 90,5	85,7 - 87,7	2800090	817,-	817,-
100	98,5 - 100,5	95,7 – 97,7	2800100	916,-	916,-
Standard size	side panel				
80	78,5 - 80,5	75,7 - 77,7	2830080	551,-	551,-
90	88,5 - 90,5	85,7 - 87,7	2830090	586,-	586,-
100	98,5 - 100,5	95,7 – 97,7	2830100	622,-	622,-
Made to meas	ure				

Please indicate hinged side of the door.

Hinged door

Side panel

GLASS OPTIONS

981,- 981,-

659,- 659,-

2800500

2830500

Toughened safety glass, clear glass incl. HSK Shield incl. HSK Shield TwinSeal + 186,-+ 372,-Smoked glass + 92,-+ 184,-Sandblasted + 124,-+ 248,-



APERTO SWINGING

Spacious recess swinging, 3 parts

8/6 mm Toughened safety glass (ESG) with hinges flush with the glass on the inside and clip profile

Version	Recess dimensions		Chrome	Black
cm	cm (Height 200)	Article no.	finish	matt
		Toughened		
		safety glass,		
Standard size		clear glass (50)		
140	136 – 140	2803140	1.369,-	1.369,-
160	156 – 160	2803160	1.421,-	1.421,-
180	176 – 180	2803180	1.479,-	1.479,-
Made to meas	ure			

Please indicate hinged side of the door.





APERTO SWINGING

Hinged door swinging with inline panel for recess

8/6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and clip profile

to 200 × 200

Version	Recess dimensions		Chrome	Black
cm	cm (Height 200)	Article no.	finish	matt
		Toughened		
		safety glass,		
Standard size		clear glass (50)		
75	72 – 75	2801075	794,–	794,–
80	77 – 80	2801080	794,–	794,-
90	87 - 90	2801090	817,-	817,-
100	97 – 100	2801100	916,-	916,-
120	117 – 120	2801120	951,-	951,-

Made to measure

to 130 × 220 2801500 981,- 981,-

2803500

Please indicate hinged side of the door.



The timeless trend in bathroom design

PREMIUM SOFTCUBE

Fresh design for a timeless and modern bathroom design:

This 6 mm series impresses with its extensive programme and wide range of options.



PREMIUM SOFTCUBE | The timeless trend in bathroom design





Shapely

The fresh and soft design is reflected in the handles, hinges, wall profiles and stabilisation brackets. The optional bar handle and practical swing hinges provide additional convenience.



Easy to clean

The hinged and swing door hinges, which are flush with the glass on the inside, form a perfect unit with the toughened safety glass (ESG). This makes cleaning the glass surfaces child's play.



Stable

The Softcube stabilisation bar offers design with function. The glass holder holds the 6 mm thick glass reliably in place. The rounded corners emphasise the uniform look.



Invisible

The clip profile, which is designed to match the Softcube design language, ensures simple installation of the shower cubicles thanks to its concealed installation technology. The smooth surface of the profile is also particularly easy to clean.



PREMIUM SOFTCUBE | The timeless trend in bathroom design





6820500

1.458,-

PREMIUM SOFTCUBE

Corner entry, 4 parts

6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and clip profile

0	8			
	Shower tray	Tile		
Version	installation dimensions	dimensions		Chrome
cm	cm (Height 200)	cm	Article no.	finish
			Toughened	
			safety glass,	
Standard size			clear glass (50)	
75 × 90			6820012	1.270,-
80 × 80	78,5 - 80,5	75,7 - 77,7	6820014	1.243,-
80 × 90			6820015	1.270,-
90 × 75			6820016	1.270,-
90 × 80			6820017	1.270,-
90 × 90	88,5 - 90,5	85,7 - 87,7	6820018	1.282,-
100 × 100	98,5 - 100,5	95,7 - 97,7	6820019	1.394,-
80 × 100			6820030	1.358,-
100 × 80			6820031	1.358,-
Made to meas	ure		0020031	1.330,

to 130 × 210

OPTIONS	Toughened safety glass, clear glass incl. HSK Shield incl. HSK Shield
SS	TwinSeal
A 	+ 186,-
U	+ 372,-
	Smoked glass
	+ 92,-
	+ 184,-
	Sandblasted
	+ 124,-
	+ 248,-



Pic. shows optional bar handle K2 small

Pic. shows optional bar handle K2 small

PREMIUM SOFTCUBE SWINGING

Hinged door with inline panel and side panel

6 mm Toughened safety glass (ESG) with hinges flush with the glass on the inside and clip profile

	Shower tray	Tile		
Version	installation dimensions	dimensions		Chrome
cm	cm (Height 200)	cm	Article no.	finish
	•		Toughened	
			safety glass,	
Standard size hin	ged door		clear glass (50)	
75	73,5 - 75,5	70,3 - 72,3	6800075	740,-
80	78,5 - 80,5	75,3 - 77,3	6800080	740,-
90	88,5 - 90,5	85,3 - 87,3	6800090	745,-
100	98,5 - 100,5	95,3 - 97,3	6800100	836,–
120	118,5 - 120,5	115,3 - 117,3	6800120	867,-
Standard size side	e panel			
75	73,5 - 75,5	70,7 - 72,7	6830075	552,-
80	78,5 - 80,5	75,7 - 77,7	6830080	552,-
90	88,5 - 90,5	85,7 - 87,7	6830090	587,-
100	98,5 - 100,5	95,7 - 97,7	6830100	623,-

Made to measure

Hinged door	to 130 × 210	6800500	894,–
Side panel	to 130 × 210	6830500	660,–

Please indicate hinged side of the door.

PREMIUM SOFTCUBE

Pentagon, 3 parts

6 mm Toughened safety glass (ESG) with hinges flush with the glass on the inside and clip profile

Version cm	Shower tray installation dimensions cm (Height 200)	Tile dimensions cm	Article no.	Chrome finish
Standard size			Toughened safety glass, clear glass (50)	
90 45 / 63,6 / 45*	88,5 – 90,5	42,3 - 44,3 / 61,3 / 42,3 - 44,3	6860090	1.411,-
100 50 / 70,7 / 50*	98,5 – 100,5	47,3 - 49,3 / 68,4 / 47,3 - 49,3	6860100	1.507,-

Made to measure


Height to 210	6860500	1.589,-

Please indicate hinged side of the door.

^{*}Size (width): Always specify the size seen from the front of the shower tray.

PREMIUM SOFTCUBE | The timeless trend in bathroom design





PREMIUM SOFTCUBE

Hinged door with inline panel for recess

6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and clip profile

Version	Recess dimensions		Chrome
cm	cm (Height 200)	Article no.	finish
		Toughened	
		safety glass,	
Standard size		clear glass (50)	
75	73 – 76	6801075	740,-
80	78 - 81	6801080	740,-
90	88 - 91	6801090	745,-
100	98 – 101	6801100	836,-
120	118 – 121	6801120	867,-

Please indicate hinged side of the door.

OPTIONS	Toughened safety glass, clear glass incl. HSK Shield incl. HSK Shield
GLASS	TwinSeal + 186,- + 372,- Smoked glass + 92,- + 184,- Sandblasted + 124,- + 248,-



PREMIUM SOFTCUBE

Quadrant, 3 parts

6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and clip profile

	Shower tray		
Version	installation dimensions		Chrome
cm	cm (Height 200)	Article no.	finish
		Toughened	
		safety glass,	
Standard size, radio	ıs 550	clear glass (50)	
80 × 80	78,5 - 80,5	6853080550	1.530,-
90 × 90	88,5 - 90,5	6853090550	1.530,-
100 × 100	98,5 - 100,5	6853100550	1.658,-
Made to measure			
	to 80 - 120 × 200	6853500550	1.764,-

Please indicate hinged side of the door. No TwinSeal and Smoked glass possible for round showers.



PREMIUM SOFTCUBE

Quadrant, 4 parts

6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and clip profile

	Shower tray		
Version	installation dimensions		Chrome
cm	cm (Height 185/200)	Article no.	finish
		Toughened	
		safety glass,	
Standard size, radio	ıs 550	clear glass (50)	
80	78,5 - 80,5	6850080550	1.383,-
90	88,5 - 90,5	6850090550	1.407,-
100	98,5 - 100,5	6850100550	1.501,-
Standard size, radio			
80	78,5 - 80,5	6850080500	1.383,-
90	88,5 - 90,5	6850090500	1.407,-
100	98,5 – 100,5	6850100500	1.501,-
Made to measure			
	1 00 120 105/200	6050500550	1 (22
R 550	to 80 – 120 × 185/200	6850500550	1.622,-
R 500	to 80 - 120 × 185/200	6850500500	1.622,-

No TwinSeal and Smoked glass possible for round showers.



Technical perfection

EXKLUSIV 2.0

This awardwinning shower cubicle looks as good from the inside as from the outside.













Tried and tested

The Exklusiv 2.0 shower cubicles series combines the best of its predecessor model with well thought-out details to create a high-quality, modern shower concept. What remains is the familiar functionality and technical performance, without restricting the variability of special dimensions.



Functional

The ergonomic design of the various handle options emphasises the modern appearance of the Exklusiv 2.0. The standard knob handle or optionally available grip-optimised knurled handle always guarantee maximum ease of use and optimum grip safety when opening and closing the doors.



Stable

The visually redesigned stabilisation brackets and wall profiles ensure a contemporary appearance and secure hold. Colour-coordinated, they are available in the profile colours aluminium sliver matt, chrome finish or trendy black matt.




Securely fixed

The flat wall connection profile of the side panel offers technical perfection - without visible screw connections using special keder technology. The fixed elements are inserted into the fixed wall profile, aligned and fixed permanently and tightly. This ensures simple, fast and, above all, secure installation.







EXKLUSIV 2.0 SWINGING

Saloon door with side panel

6 mm Toughened safety glass (ESG) with keder profile for side panel

	Shower tray					
	installation	Tile				
Version	dimensions	dimensions		Aluminium	Chrome	Black
cm	cm (Height 200)	cm	Article no.	silver matt	finish	matt
			Toughened			
			safety glass,			
			clear glass			
Standard size	saloon door		(50)			
75	73,0 - 75	69,4 - 71,4	4810075	606,-	779,–	779,–
80	78,0 - 80	74,4 - 76,4	4810080	606,-	779,–	779,-
90	88,0 - 90	84,4 - 86,4	4810090	648,-	828,-	828,-
100	98,0 - 100	94,4 - 96,4	4810100	708,-	898,-	898,-
Standard size	e side panel					
75	72,5 - 75	68,9 - 71,4	4840075	419,-	554,-	554,-
80	77,5 – 80	73,9 - 76,4	4840080	419,-	554,-	554,-
90	87,5 - 90	83,9 - 86,4	4840090	449,-	587,-	587,-
100	97,5 – 100	93,9 - 96,4	4840100	477,-	621,-	621,-
Made to mea						
Saloon door	to 160 ×	220	4810500	787,-	995,-	995,-
Side panel	to 140 ×	220	4840500	518,-	677,-	677,-

Please indicate fixed side of the side panel.

Toughened safety glass, clear glass GLASS OPTIONS incl. HSK Shield incl. HSK Shield TwinSeal + 186,-+ 372,-Smoked glass + 92,-+ 184,-Sandblasted + 124,-+ 248,-



Pic. shows optional bar handle

EXKLUSIV 2.0

Pivot door with side panel

6 mm Toughened safety glass (ESG) with keder profile for side panel

	Shower tray					
	installation	Tile				
Version	dimensions	dimensions		Aluminium	Chrome	Black
cm	cm (Height 200)	cm	Article no.	silver matt	finish	matt
			Toughened			
			safety glass,			
			clear glass			
Standard size	pivot door		(50)			
80	78,0 - 80	74,4 - 76,4	4800080	575,-	740,-	740,-
90	88,0 - 90	84,4 - 86,4	4800090	616,-	791,-	791,-
100	98,0 - 100	94,4 - 96,4	4800100	675,-	854,-	854,-
Standard size side panel						

90	87,5 - 90	83,9 - 86,4	4830090	449,-	587,-	587,-
100	97,5 - 100	93,9 - 96,4	4830100	477,-	621,-	621,-

Made to measure

Pivot door	to 120 × 220	4800500	740,-	934,-	934,-
Side panel	to 140 × 220	4830500	518,-	677,-	677,-

Please indicate hinged side of the door. U-shaped cabin not possible. Optionally also available as swinging version. Please indicate desired option.

EXKLUSIV 2.0 SWINGING

Corner entry swinging, 2 parts

6 mm Toughened safety glass (ESG)

	Shower tray					
	installation	Tile				
Version	dimensions	dimensions		Aluminium	Chrome	Black
cm	cm (Height 200)	cm	Article no.	silver matt	finish	matt
			Toughened			
			safety glass,			
			clear glass			
Standard s	ize		(50)			
75 × 90	78 - 80	74,4 - 76,4	4820012	950,-	1.252,-	1.252,-
90	88 - 90	84,4 - 86,4	4820018	989,–	1.299,-	1.299,-
100	98 – 100	94,4 - 96,4	4820019	1.054,-	1.372,-	1.372,-

Made to measure

to 120 × 220	4820500	1.162,-	1.502,-	1.502,
--------------	---------	---------	---------	--------







EXKLUSIV 2.0 SWINGING

Bi-fold door swinging with side panel

6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside, keder profile for side panel and buffer handle

	Shower tray	Tile				
Version	dimensions	dimensions		Aluminium	Chrome	Black
cm	cm (Height 200)	cm	Article no.	silver matt	finish	matt
			Toughened			
			safety glass,			
			clear glass			
Standard siz	ze bi-fold door		(50)			
75	73,0 - 75	69,4 - 71,4	4807075	684,-	906,-	906,-
80	78,0 - 80	74,4 - 76,4	4807080	684,-	906,-	906,-
90	88,0 - 90	84,4 - 86,4	4807090	704,-	940,-	940,-
100	98,0 - 100	94,4 - 96,4	4807100	783,-	1.033,-	1.033,-
Standard siz	ze side panel					
75	72,5 - 75	68,9 - 71,4	4836075	436,-	576,-	576,-
80	77,5 - 80	73,9 – 76,4	4836080	436,-	576,-	576,-
90	87,5 - 90	83,9 - 86,4	4836090	467,-	611,-	611,-
100	97,5 – 100	93,9 - 96,4	4836100	497,–	647,-	647,-
Made to me	asure					
Bi-fold door	to 50 - 140	0 × 220	4807500	831,-	1.082,-	1.082,-

Please indicate hinged side of the door. The hinge type Softcube, on the inside of the glass surface, is supplied as standard. Classic hinge shape is optionally available. Please indicate desired hinge shape.

Toughened safety glass, GLASS OPTIONS clear glass incl. HSK Shield incl. HSK Shield TwinSeal + 186,-+ 372,-Smoked glass + 92,-+ 184,-Sandblasted + 124,-+ 248,-



EXKLUSIV 2.0 SWINGING

Bi-fold corner entry swinging

6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and buffer handle

Version cm	Shower tray installation dimensions cm (Height 200)	Tile dimensions cm	Article no.	Aluminium silver matt	Chrome finish	Black matt
			Toughened			
			safety glass,			
			clear glass			
Standard si	ze		(50)			
80	78 - 80	74,4 - 76,4	4826014	1.320,-	1.517,-	1.517,-
80 × 90			4826015	1.330,-	1.564,-	1.564,-
90 × 80			4826017	1.330,-	1.564,-	1.564,-
90	88 - 90	84,4 - 86,4	4826018	1.351,-	1.576,-	1.576,-
100	98 – 100	94,4 - 96,4	4826019	1.453,-	1.646,-	1.646,-
120	118 – 120	114,4 - 116,4	4826028	1.515,-	1.742,-	1.742,-
140	138 - 140	134,4 - 136,4	4826029	1.574,-	1.763,-	1.763,-

Made to measure

to 50,0 – 100 × 220	4826500	1.511,-	1.694,-	1.694,-
to 100,1 - 140 × 220	4826500	1.636,-	1.823,-	1.823,-

The hinge type Softcube, on the inside of the glass surface, is supplied as standard. Classic hinge shape is optionally available. Please indicate desired hinge shape.



Bi-fold corner entry swinging with inline panel

6 mm Toughened safety glass (ESG)


with hinges flush with the glass on the inside, keder profile for side panel and buffer handle

	Shower tray						
	installation	Tile					
Version	dimensions	dimensions		Aluminium	Chrome	Black	
cm	cm (Height 200)	cm	Article no.	silver matt	finish	matt	
			Toughened				
			safety glass,				
			clear glass				
Standard si	ze		(50)				
90	87,5 - 90	83,9 - 86,4	4828018	1.453,-	1.666,-	1.666,-	
100	97,5 – 100	93,9 - 96,4	4828019	1.541,-	1.737,-	1.737,-	
120	117,5 - 120	113,9 - 116,4	4828028	1.600,-	1.824,-	1.824,-	

Made to measure

to 90 - 160 × 220	4828500	1.666,-	1.881,-	1.881,-

The hinge type Softcube, on the inside of the glass surface, is supplied as standard. Classic hinge shape is optionally available. Please indicate desired hinge shape.



Side panel





EXKLUSIV 2.0 SWINGING

Corner entry swinging, 4 parts


6 mm Toughened safety glass (ESG) with keder profile for fixed elements

	Shower tray					
	installation	Tile				
Version	dimensions	dimensions		Aluminium	Chrome	Black
cm	cm (Height 200)	cm	Article no.	silver matt	finish	matt
			Toughened			
			safety glass,			
Standard s	size		clear glass (50)			
80	77,5 – 80	73,9 – 76,4	4825014	1.022,-	1.333,-	1.333,-
90	87,5 – 90	83,9 - 86,4	4825018	1.082,-	1.385,-	1.385,-
100	97,5 – 100	93,9 - 96,4	4825019	1.141,-	1.476,-	1.476,-

Made to measure

1.257,- 1.616,- 1.616,to 140 × 220







Pic. shows optional bar handle

EXKLUSIV 2.0 SWINGING

Pentagon swinging, 4 parts

6 mm Toughened safety glass (ESG) with keder profile for fixed elements

Version	Shower tray installation dimensions	Tile dimensions		Aluminium	Chrome	Black
cm	cm (Height 200)	cm	Article no.	silver matt	finish	matt
			Toughened safety glass,			
Standard			clear glass (50)			
90	87,5 – 90	41,4 - 43,5 / 60,6 / 41 - 43,5 (83,9 - 86,4)	4865090	1.082,-	1.407,-	1.407,-
100	97,5 – 100	46 - 48,5 / 67,6 / 46 - 48,5 (93,9 - 96,4)	4865100	1.162,-	1.513,-	1.513,-

Made to measure

Height to 200*	4865500	1.233,-	1.581,-	1.581,-

^{*}Size (width): Always specify the size seen from the front of the shower tray.

EXKLUSIV 2.0 SWINGING

Quadrant swinging, 4 parts

6 mm Toughened safety glass (ESG) with keder profile for fixed elements

_	· -				
Version	Shower tray installation dimensions		Aluminium	Chrome	Black
cm	cm (Height 200)	Article no.	silver matt	finish	matt
		Toughened			
		safety glass,			
Standard siz	e, radius 550	clear glass (50)			
80	77,5 - 80	4855580	1.082,-	1.407,-	1.407,-
90	87,5 - 90	4855590	1.141,-	1.469,-	1.469,-
100	97,5 - 100	4855510	1.233,-	1.581,-	1.581,-
Standard siz	e, radius 500				
80	77,5 - 80	4855080	1.082,-	1.407,-	1.407,-
90	87,5 - 90	4855090	1.141,-	1.469,-	1.469,-
100	97,5 - 100	4855010	1.233,-	1.581,-	1.581,-
Made to mea	asure				

Made to illeast	ure					
R 550		48555550	1.351,-	1.724,-	1.724,-	
R 500		48550500	1.351,-	1.724,-	1.724,-	

If necessary, only the fixed elements can be made wider or narrower.

No special height possible. No TwinSeal and Smoked glass possible for round showers.

EXKLUSIV 2.0 | Technical perfection








Pivot door for recess

6 mm Toughened safety glass (ESG)

J	20					
Version	Recess dimensions		Aluminium	Chrome	Black	
cm	cm (Height 200)	Article no.	silver matt	finish	matt	
		Toughened				
		safety glass,				
Standard size		clear glass (50)				
75	72 – 75	4801075	575,-	740,-	740,-	
80	77 – 80	4801080	575,-	740,-	740,-	
83	80 - 83	4801083	575,-	740,-	740,-	
87	84 - 87	4801087	575,-	740,-	740,-	
90	87 – 90	4801090	616,-	791,-	791,-	
93	90 – 93	4801093	616,-	791,-	791,-	
97	94 – 97	4801097	616,-	791,-	791,-	
100	97 – 100	4801100	675,-	854,-	854,-	
103	100 - 103	4801103	675,-	854,-	854,-	
Made to measure						
wide to meas						
	to 120 × 220	4801500	740,-	934,-	934,-	

Please indicate hinged side of the door.

Optionally also available as swinging version. Please indicate desired option.





EXKLUSIV 2.0 SWINGING

Bi-fold door swinging for recess

6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside and buffer handle

_	_				
Version	Recess dimensions		Aluminium	Chrome	Black
cm	cm (Height 200)	Article no.	silver matt	finish	matt
		Toughened			
		safety glass,			
Standard size		clear glass (50)			
75	72 – 75	4806075	704,-	940,-	940,-
80	77 - 80	4806080	704,-	940,-	940,-
83	80 - 83	4806083	704,-	940,-	940,-
87	84 - 87	4806087	704,-	940,-	940,-
90	87 - 90	4806090	726,-	972,-	972,-
93	90 - 93	4806093	726,-	972,-	972,-
97	94 - 97	4806097	726,-	972,-	972,-
100	97 – 100	4806100	800,-	1.066,-	1.066,-
103	100 - 103	4806103	800,-	1.066,-	1.066,-
Made to meas	sure				
	to 50 - 140 × 220	4806500	847,–	1.106,-	1.106,-

Please indicate hinged side of the door. The hinge type Softcube, on the inside of the glass surface, is supplied as standard. Classic hinge shape is optionally available. Please indicate desired hinge shape.


OPTIONS	Toughened safety glass, clear glass incl. HSK Shield incl. HSK Shield
GLASS	TwinSeal + 186,- + 372,-
	Smoked glass + 92,- + 184,-
	Sandblasted + 124,- + 248,-

72 SHOWER CUBICLES

EXKLUSIV 2.0 | Technical perfection







aloon door				-	
mm lougher	ned safety glass (ESG)				
Version	Recess dimensions		Aluminium	Chrome	Black
cm	cm (Height 200)	Article no.	silver matt	finish	matt
		Toughened			
		safety glass,			
tandard size		clear glass (50)			
75	71 – 75	4811075	606,-	779,-	779,-

		safety glass,			
Standard size		clear glass (50)			
75	71 – 75	4811075	606,-	779,–	779,–
80	76 – 80	4811080	606,-	779,–	779,–
90	86 – 90	4811090	648,-	828,-	828,-
100	96 – 100	4811100	708,-	898,-	898,-

Made to measure to 160 × 220 787,- 995,- 995,-

	Toughened safety glass, clear glass incl. HSK Shield incl. HSK Shield
N N N N N N N N N N N N N N N N N N N	TwinSeal + 186,- + 372,-
	Smoked glass + 92,- + 184,-
	Sandblasted + 124,- + 248,-



	Version	Recess dimensions		Aluminium	Chrome	Black	
	cm	cm (Height 200)	Article no.	silver matt	finish	matt	
			Toughened				
			safety glass,				
	Standard size		clear glass (50)				
	120	115,5 – 120	4814120	885,-	1.180,-	1.180,-	
	140	135,5 - 140	4814140	930,-	1.239,-	1.239,-	
	160	155,5 - 160	4814160	995,-	1.295,-	1.295,-	
Made to measure							
		1	1011500	1 210	1 / 00	1 / 00	
		to 200 × 220	4814500	1.218,-	1.490,-	1.490,-	

Please indicate hinged side of the door.

Toughened safety glass, clear glass incl. HSK Shield

incl. HSK Shield

TwinSeal

+ 186,-+ 372,-

Smoked glass

+ 92,-+ 184,-

Sandblasted

+ 124,-+ 248,-

74 SHOWER CUBICLES



Industrial and and minimalist design

REGENCY

High-quality sliding rollers and clear lines combined with 8 mm thick glass elements create a light looking quality shower enclosure.



REGENCY | Industrial and minimalist design





1.293,- 1.534,- 1.534,-

REGENCY

Recess slider, 2 parts

8 mm Toughened safety glass (ESG)						
Version	Recess dimensions		Chrome	Black	Gold	
cm	cm (Height 200)	Article no.	finish	matt	matt	
		Toughened				
		safety glass,				
Standard siz	e	clear glass (50)				
100	98,5 - 100,5	622100	828,-	1.069,-	1.069,-	
120	118,5 - 120,5	622120	857,–	1.098,-	1.098,-	
140	138,5 - 140,5	622140	944,-	1.185,-	1.185,-	
Made to measure						

622500

Please indicate position of the front fixed panel.





REGENCY

Slider, 2 parts with side panel

8 mm Toughened safety glass (ESG)

	Shower tray					
	installation	Tile				
Version	dimensions	dimensions		Chrome	Black	Gold
cm	cm (Height 200)	cm	Article no.	finish	matt	matt
			Toughened			
			safety glass,			
Standard s	ize		clear glass (50)			
100 / 80	98,5 - 100,5 /	95,7 - 97,7 /	642100	1.218,-	1.534,-	1.534,-
	78,5 - 80,5	75,7 - 77,7				
120 / 80	118,5 - 120,5 /	115,7 - 117,7 /	642120	1.247,-	1.563,-	1.563,-
	78,5 - 80,5	75,7 - 77,7				
120 / 90	118,5 - 120,5 /	115,7 - 117,7 /	640120	1.293,-	1.609,-	1.609,-
	88,5 - 90,5	85,7 - 87,7				
140 / 90	138,5 - 140,5 /	135,7 - 137,7 /	640140	1.380,-	1.696,-	1.696,-
	88,5 - 90,5	85,7 - 87,7				

Made to measure

640500 1.741,- 2.057,- 2.057,-

Please indicate position of the side panel



REGENCY

Slider corner entry, 4 parts

8 mm Toughened safety glass (ESG)

	Shower tray					
	installation	Tile				
Version	dimensions	dimensions		Chrome	Black	Gold
cm	cm (Height 200)	cm	Article no.	finish	matt	matt
			Toughened			
			safety glass,			
Standard siz	ze .		clear glass (50)			
90 × 90	88,5 - 90,5 /	85,7 - 87,7 /	621018	1.339,-	1.625,-	1.625,-
	88,5 - 90,5	85,7 - 87,7				
100 × 100	98,5 - 100,5 /	85,7 - 87,7 /	621019	1.392,-	1.683,-	1.683,-
	98,5 - 100,5	85,7 - 87,7				

Made to measure

621500	1.631,-	1.923,-	1.923,-
--------	---------	---------	---------

78 SHOWER CUBICLES



Gentle comfort with character

SOLIDA

Clear shapes, high-quality materials and extra smooth ease of use: this is the Solida – a threshold-free dream shower with a solid character.



SOLIDA | Gentle comfort with character





Modern

Stability and durability:

These are the characteristics of the tried and tested 8 mm Solida series. The design of the profiles and the handles look modern and robust at the same time.



High-quality

The Solida models are equipped with a slide guide that moves the large real glass doors smoothly and quietly.




Optional extra soft

The optional soft-close mechanism enables extra-soft opening and closing. It pulls the large door element easily and independently into its opening and closing position.



Barrier-free

The all-metal door guide connects the fixed glass element securely to the floor. The sliding door is guided gently past the fixed element. The deliberate omission of a bottom guide rail enables threshold-free access.



SOLIDA | Gentle comfort with character





1.579,- 1.779,-



SOLIDA

Slider, 2 parts with side panel (no bottom profile)

8 mm Toughened safety glass (ESG) with swing-out door elements and magnetic glider

	Shower tray				
	installation	Tile			
Version	dimensions	dimensions		Aluminium	Chrome
cm	cm (Height 200)	cm	Article no.	silver matt	finish
			Toughened		
			safety glass,		
Standard size	e slider		clear glass (50)		
120	117,0 - 121,0		1526120	799,–	899,–
140	137,0 - 141,0		1526140	849,–	949,-
160	157,0 - 161,0		1526160	899,–	999,–
Standard size	e side panel				
75	73,5 - 75,5	70,3 - 72,3	1533075	449,-	529,-
80	78,5 - 80,5	75,3 - 77,3	1533080	449,-	529,-
90	88,5 - 90,5	85,3 - 87,3	1533090	479,-	559,-
100	98,5 - 100,5	95,3 – 97,3	1533100	519,-	599,-

Made to measure

Slider	to 160,1 - 200 × 200	1526500	1.149,-	1.249,-
Side panel	to 140 × 200	1533500	699,–	779,–

Please indicate position of the front fixed panel.

SOLIDA

Made to measure

Corner entry slider, 4 parts (no bottom profile)

8 mm Toughened safety glass (ESG) with swing-out door elements and magnetic glider

	Shower tray installation	Tile			
Version	dimensions	dimensions		Aluminium	Chrome
version	difficitsions	difficitsions		Alullillillilli	
cm	cm (Height 200)	cm	Article no.	silver matt	finish
			Toughened		
			safety glass,		
Standard size	е		clear glass (50)		
80	78,5 - 80,5	75,3 - 77,3	1525014	1.199,-	1.399,-
90	88,5 - 90,5	85,3 - 87,3	1525018	1.269,-	1.469,-
100	98,5 - 100,5	95,3 - 97,3	1525019	1.349,-	1.549,-
120	118,5 - 120,5	115,3 - 117,3	1525028	1.499,-	1.699,-

1525500

For technical reasons, the soft-close mechanism is only possible from a width of 900 mm.

120,1 - 140 × 200

Toughened safety glass, clear glass incl. HSK Shield incl. HSK Shield TwinSeal + 186,+ 372,Smoked glass + 92,+ 184,Sandblasted + 124,-

+ 248,-

Magnetic glider

The technically modified magnetic glide on the Solida ensures that the door is guided almost contact-free, while the doors run smoothly and are reliably stable. The innovative folding mechanism in the door guide is particularly practical. Thanks to this, the shower door can be swivelled inwards for easy cleaning.



Easy to fold down



Easy to clean

84 SHOWER CUBICLES



Modern design and strong presence

FAVORIT PLUS

Timeless beauty with a modern look and functionality.

The ideal solution – not just for tricky bathrooms.



FAVORIT PLUS | Modern design and strong presence





Good grip

A special feature of the Favorit Plus is the grip-optimised door handle with knurled structure. It gives the shower cubicles an exclusive look and provides an extra portion of comfort when handling.



Functional

Sophisticated technology without compromise: The glass door is mounted between two pivot points set back from the wall, making it suitable for use in tricky bathrooms.



Reliable

With its striking profile design, the Favorit Plus pivot door is an eye-catcher in any bathroom. The magnetic closing strip ensures that the 6 mm toughened safety glass doors close cleanly and reliably. Convenient access is possible thanks to the particularly flat floor profile.



Easy to clean

The optional HSK Shield closes the invisible pores of the glass. This noticeably reduces the drying of water droplets and the build-up of soap residue, dirt and limescale. This makes regular cleaning



FAVORIT PLUS | Modern design and strong presence





FAVORIT PLUS

Pivot door for recess

6 mm Toughened safety glass (ESG)

J	, ,				
Version	Recess dimensions		Aluminium	White	Black
cm	cm (Height 200)	Article no.	silver matt	matt	matt
		Toughened			
		safety glass,			
Standard siz	e	clear glass (50)			
75	72 – 75	3500075	569,-	699,–	699,–
80	77 – 80	3500080	569,-	699,-	699,-
90	87 - 90	3500090	579,-	719,-	719,-
100	97 – 100	3500100	599,-	749,-	749,-

Made to measure

90 SHOWER CUBICLES

65 – 120 × 165 – 200 **3500500** 762,– 975,– 975,–

Toughened safety glass, clear glass incl. HSK Shield incl. HSK Shield TwinSeal + 186,+ 372,Smoked glass + 92,+ 184,Sandblasted + 124,+ 248,-



FAVORIT PLUS

Saloon door for recess

6 mm Toughened safety glass (ESG)

Version	Recess dimensions		Aluminium	White	Black
cm	cm (Height 200)	Article no.	silver matt	matt	matt
		Toughened			
		safety glass,			
Standard size		clear glass (50)			
80	77 – 80	3511080	649,-	799,–	799,–
90	87 - 90	3511090	669,-	819,-	819,-
100	97 – 100	3511100	699,–	849,-	849,-

Made to measure

75 – 120 × 165 – 200 **3511500** 849,– 999,– 999,–



FAVORIT PLUS

Pivoting bi-fold door for recess

6 mm Toughened safety glass (ESG)

Version cm	Recess dimensions cm (Height 200)	Article no.	Aluminium silver matt	Black matt
		Toughened		
		safety glass,		
Standard size		clear glass (50)		
80	77 – 80	3560080	649,-	799,–
90	87 – 90	3560090	669,–	819,-
100	97 – 100	3560100	699,–	849,-

Made to measure

65 – 120 × 165 – 200 **3560500** 849,– 999,–

Optional door handle Favorit Plus (86)



358,- 372,- 372,-

FAVORIT PLUS

Side panel for pivot door, pivoting bi-fold door and saloon door 6 mm Toughened safety glass (ESG)

98,5 - 100,5

	Shower tray				
Version	installation dimensions		Aluminium	White	Black
cm	cm (Height 200)	Article no.	silver matt	matt	matt
		Toughened			
		safety glass,			
Standard size		clear glass (50)			
80	78,5 - 80,5	3300080	309,-	318,-	318,-
90	88,5 - 90,5	3300090	334,-	338,-	338,-

Made to measure

100

25 - 120 × 50 - 200 **3300500** 484,- 531,- 531,-

3300100




FAVORIT PLUS | Modern design and strong presence






FAVORIT PLUS Recess slider, 2 parts (with bottom profile) 6 mm Toughened safety glass (ESG)

Version	Recess dimensions		Aluminium	Black		
cm	cm (Height 200)	Article no.	silver matt	matt		
		Toughened				
		safety glass,				
Standard size		clear glass (50)				
120	116 – 120	3522120	699,-	799,–		
140	136 – 140	3522140	749,-	849,-		
Made to measure						
	120 – 160	3522500	999,-	1.099,-		





FAVORIT PLUS

Side panel for recess slider, 2 parts (with bottom profile) 6 mm Toughened safety glass (ESG)

Version cm	Shower tray installation dimensions cm (Height 200)	Article no.	Aluminium silver matt	Black matt
		Toughened		
		safety glass,		
Standard size		clear glass (50)		
80	78 - 80	3533080	309,-	318,-
90	88 - 90	3533090	334,–	338,-
Made to measure				
	25 – 120	3533500	484,-	531,-

Toughened safety glass, clear glass incl. HSK Shield

incl. HSK Shield

TwinSeal

+ 186,-+ 372,-

Smoked glass

+ 92,-+ 184,-

Sandblasted

+ 124,-+ 248,-

92 SHOWER CUBICLES



Your individual shower experience

MADE TO MEASURE

There is no don't have, or can't do:

We can supply customised shower

cubicles for unusual spaces or

requirements quickly and at competitive prices, most size variations are

possible.



MADE TO MEASURE | Your individual shower experience






Made to measure options

With HSK the sky is the limit

There is no don't have, or can't do: We can supply customised shower cubicles for unusual spaces or requirements quickly and at competitive prices, most size variations are possible. We also offer a large variety of profile colours and different glass options.

Delivery time approximately 3 – 6 weeks including delivery.





96 MADE TO MEASURE 97



The basis of all showering pleasure

SHOWER TRAYS

HSK shower trays are just as impressive in terms of design, quality and price as the innovative product solutions for barrier-free bathrooms.



SHOWER TRAYS | The basis of all showering pleasure





MARBLE-POLYMER SHOWER TRAY, STONE LOOK, SQUARE

Height without feet approx. 4 cm

Dimension in cm	Net weight in kg	Article no.	Price
90 × 90	51	5825090	668,–
100 × 100	63	5825010	703,–
120 × 120	91	5825012	821,-

Due to the stone-look surface, it is not possible for the water to run off completely without leaving any residue. No factory anti-slip coating possible for anthracite colour.





Height-adjustable legs

for optimum adjustment of the shower tray even on uneven floors.

AntiSlip – Increased safety All shower trays can be equipped with a protective layer on the factory side for increased slip resistance.

100/120/140 ± 0,5 100/120/140 ± 0,5 100/120/140 ± 0,5 100/120/140 ± 0,5 100/120/140 ± 0,5 100/120/140 ± 0,5

MARBLE-POLYMER SHOWER TRAY, STONE LOOK, RECTANGULAR

Height without feet approx. 4 cm

75 × 100 48 5825710 642,- 75 × 120 57 5825712 675,- 75 × 140 67 5825714 709,- 80 × 100 51 5825100 658,-	e
75 × 140 67 5825714 709,-	,—
	,—
90 × 100 51 5935100 659	,–
60 × 100 51 5625100 058,-	,—
80 × 120 61 5825125 698,–	,—
80 × 140 71 5825145 735,-	,—
90 × 100 57 5825095 691,–	,—
90 × 120 68 5825120 725,–	,—
90 × 140 79 5825140 758,–	,—
100 × 120 76 5825112 742,-	,—
100 × 140 86 5825114 779,-	_

Due to the stone-look surface, it is not possible for the water to run off completely without leaving any residue. No factory anti-slip coating possible for anthracite colour.

Colour range

CUSTOMISED CUTTING

Flexible and precise

In practice, there are often complex and individual installation situations that place special demands on a shower tray, for example:

- · Supply and installation shafts protrude into the shower zone
- · Walls deviate from the vertical dimension
- \cdot The position of the drain set has to be changed for structural reasons
- \cdot The standard sizes of the shower tray simply do not fit

With bevelled cuts or precisely fitting cut-outs on all sides, the marble-polymer shower tray in stone look is suitable for almost all installation situations and offers maximum installation flexibility in addition to the wide range of standard sizes.





Cutting options










To avoid customised shower cubicles, the shower tray should be tiled in by a maximum of 1 cm.

All shower trays incl. height-adjustable feet, mounting rails and waste-set.

100 SHOWER TRAYS

SHOWER TRAYS | The basis of all showering pleasure





ACRYLIC SHOWER TRAY EXTRA FLAT, QUADRANT

Made from 5 mm ICI acrylic, height without feet approx. 3,5 cm, radius 55 cm

Dimension in cm	Article no.	White
80 × 80	505080	369,-
90 × 90	505090	385,-
100 × 100	505100	425,-



ACRYLIC SHOWER TRAY EXTRA FLAT, QUADRANT ASYMMETRIC

Made from 5 mm ICI acrylic, height without feet approx. 3,5 cm, radius 55 cm

Dimension in cm		Article no.		
Version left	Version right	Version left	Version right	White
75 × 90	90 × 75	505079	505097	369,-
80 × 90	90 × 80	505171	505151	374,-
90 × 100	100 × 90	505211	505201	419,-
90 × 120	120 × 90	505250	505240	474,-



ACRYLIC SHOWER TRAY EXTRA FLAT, PENTAGON

Made from 5 mm ICI acrylic, height without feet approx. 3,5 cm

Dimension in cm	Article no.	White
90 × 90	515090	385,-
100 × 100	515100	425,-



ACRYLIC SHOWER TRAY EXTRA FLAT, SQUARE

Made from 5 mm ICI acrylic, height without feet approx. 3,5 cm

Dimension in cm	Article no.	White
80 × 80	525080	271,-
90 × 90	525090	300,-
100 × 100	525010	352,-



ACRYLIC SHOWER TRAY EXTRA FLAT, RECTANGULAR

Made from 5 mm ICI acrylic, height without feet approx. 3,5 – 4,5 cm

Dimension in cm	Article no.	White
75 × 90	525075	271,-
75 × 160	525070	497,-
75 × 170	525170	513,-
80 × 90	525085	368,-
80 × 100	525100	381,-
80 × 120	525125	408,-
80 × 160	525165	513,-
80 × 170	525175	529,-
80 × 180	525185	547,-
90 × 100	525095	401,-
90 × 120	525120	438,-
90 × 140	525140	474,-
90 × 160	525160	553,-



for solid support of the wall-mounted side of acrylic shower trays.



Height-adjustable legs

for optimum adjustment of the shower tray even on uneven floors.






To avoid customised shower cubicles, the shower tray should be tiled in by a maximum of 1 cm.

All shower trays incl. height-adjustable feet, mounting rails and waste-set.

102 SHOWER TRAYS

SHOWER TRAYS | The basis of all showering pleasure





IMITATION STONE SHOWER TRAY, RECTANGULAR

Height without feet approx. 3,2 cm

			White	Anthracite
Dimension in cm	Net weight in kg	Article no.	matt	black
90 × 80	11.07	5165085	377,–	377,–
100 × 80	12.26	5165100	392,–	392,–
120 × 80	14.63	5165125	421,-	421,-
140 × 80	17.01	5165145	450,-	450,-
160 × 80	19.40	5165165	479,–	479,–
100 × 90	13.74	5165095	406,-	406,-
120 × 90	16.41	5165120	435,-	435,–
140 × 90	19.08	5165140	479,–	479,–
160 × 90	21.75	5165160	508,-	508,-
150 × 70	15.85	5165715	494,–	494,–
160 × 70	16.91	5165716	508,-	508,-
170 × 70	17.97	5165717	523,-	523,-

Waste Ø 90 mm and legs not included.

Optional accessories

Installation legs	Artikel no.	Version	White
12 Installation legs and 2 fitting rails	599996	Shower tray up to 100	119,–
15 Installation legs and 4 fitting rails	599997	Shower tray > 100	167,-

IMITATION STONE SHOWER TRAY, SQUARE

Height without feet approx. 3,2 cm

			White	Anthracite
Dimension in cm	Net weight in kg	Article no.	matt	black
80 × 80	9.9	5165080	363,-	363,-
90 × 90	12.4	5165090	392,–	392,-

Waste Ø 90 mm and legs not included.







To avoid customised shower cubicles, the shower tray should be tiled in by a maximum of 1 cm.

104 SHOWER TRAYS



Shower comfort in the bath

BATH SCREENS

Combine showering comfort with bathing pleasure and fulfil your dream of an individual bathroom.

Choose from a wide variety of models, colours and glass.



BATH SCREENS | Shower comfort in the bath







Pic. shows glass option Modesty glass

K2^P SWINGING

K2^P bath screen swinging

8 mm Toughened safety glass (ESG) with hinges flush with the glass on the inside

Version	Element dimensions		Chrome
cm	cm (Height 140)	Article no.	finish
Standard size	74,5	Toughened safety glass, clear glass (50) 2106075	794,–
Made to measure			
	to 100 × 160	2106500	938,-

Please indicate hinged side of the bath screen.

K2^P SWINGING

K2^p bath screen swinging with inline panel

 $8\ mm$ Toughened safety glass (ESG) with hinges flush with the glass on the inside

Version cm	Element dimensions cm (Height 140)	Article no.	Chrome finish
		Toughened safety glass,	
Standard size	70 / 50	clear glass (50) 2106114	1.009,-
Made to measure	70 / 30	2100114	1.005,-
	to 140 × 160	2106555	1.173,-

Please indicate hinged side of the bath screen.

K2^P bi-fold bath screen swinging

The swingable element can be manufactured up to a maximum width of 700 mm.



K2^P swinging

8 mm Toughened safety glass (ESG) with hinges flush with the glass on the inside

	Version	Element dimensions		Chrome
	cm	cm (Height 140)	Article no.	finish
S	tandard size		Toughened safety glass, clear glass (50)	
	114	65 / 49	2106112	1.115,-
N	lade to measure			
		to 120 × 160	2106600	1.279,-

Please indicate hinged side of the bath screen.

PREMIUM SOFTCUBE SWINGING

Premium Softcube bi-fold bath screen swinging, 2 parts

6 mm Toughened safety glass (ESG) with hinges flush with the glass on the inside

Version	Element dimensions		Aluminium	Chrome	
cm	cm (Height 140)	Article no.	silver matt	finish	
		Toughened			
		safety glass,			
Standard size		clear glass (50)			
90	48 / 40	6806090	436,-	704,-	
100	55 / 43	6806100	479,–	747,-	
114	69 / 43	6806114	479,–	747,-	
Made to measure					
	to 120 × 150	6806500	677,-	967,-	

Please indicate hinged side of the bath screen.

Toughened safety glass, clear glass
incl. HSK Shield
incl. HSK Shield
TwinSeal
+ 186,+ 372,Smoked glass
+ 92,+ 184,Sandblasted
+ 124,+ 248,-

108 BATH SCREENS 109

BATH SCREENS | Shower comfort in the bath







APERTO SWINGING

Aperto bi-fold bath screen swinging with inline panel

8/6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside, clip profile and buffer handle

Version	Element dimensions		Chrome	Black
cm	cm (Height 150)	Article no.	finish	matt
		Toughened		
		safety glass,		
Standard size		clear glass (50)		
90	88,5 - 90,5	2807090	927,-	927,-
100	98,5 - 100,5	2807100	963,-	963,-
114	112,5 - 114,5	2807114	963,-	963,-

Made to measure

to 120 × 100 – 150 **2807500** 1.092,– 1.092,–

Please indicate hinged side of the bath screen.



FAVORIT SWINGING

Favorit bath screen swinging, 1 part

Version	Element dimensions		Chrome	Black	Gold
cm	cm (Height 140)	Article no.	finish	matt	matt
		Toughened			
		safety glass,			
Standard size		clear glass (50)			
80	79	162089	230,-	230,-	230,-
Made to measi	ure				
	to 125 × 140	162500	322,-	322,-	322,-

Please indicate hinged side of the bath screen.



PURE PRO SWINGING

Pure Pro bath screen swinging with inline panel

8 mm Toughened safety glass (ESG)

			Chrome	Black	Brushed
			finish,	matt,	gunmetal/
Version	Element dimensions		stainless	white	gold /
cm	cm (Height 140)	Article no.	steel finish	matt	copper
		Toughened			
		safety glass,			
Made to mea	isure	clear glass (50)			
	to 140 × 160	2660500	1.178,-	1.178,-	1.659,-

Colour range

APERTO SWINGING

Aperto bath screen swinging with inline panel

8/6 mm Toughened safety glass (ESG)

with hinges flush with the glass on the inside, clip profile and buffer handle

Version	Element dimensions		Chrome	Black
cm	cm (Height 150)	Article no.	finish	matt
		Toughened		
		safety glass,		
Standard size		clear glass (50)		
90	88,5 - 90,5	2806090	857,-	857,-
100	98,5 - 100,5	2806100	893,-	893,-
114	112,5 - 114,5	2806114	893,-	893,-
Made to meas	ıre			
	to 120 × 100 – 150	2806500	1.028,-	1.028,-

Please indicate hinged side of the bath screen.




110 BATH SCREENS



Individual showering pleasure

SHOWER & CO


Perfectly harmonised variety for all aspects of water – the fittings and components for showers, baths and washbasins.



SHOWER & CO | Individual showering pleasure














SHOWER-SET AQUAXPRO 200 THERMOSTAT

		Brushed
Article no.	Chrome	gunmetal
1007200	988,-	1.281,-


Colours

Chrome (02)


with Toughened safety glass shelf (ESG) white

Brushed gunmetal (280) with Toughened safety glass shelf (ESG) black

- · Safety thermostat with 38 °C locking
- Cold water fail-safe device
- · Incl. backflow preventer
- · Ceramic slide regulators for adjusting the water volume
- Possibility of thermal disinfection
- Grip-optimised functional elements for greater ease of use
- AquaXPro overhead shower, ø 250 × 18 mm, swivelling and height adjustable
- AquaXPro designer hand shower with three spray modes (Rain, SoftRain, Massage) and height adjustable holder
- · Shower hose 1.5 m with anti-twist protection on both sides
- · Incl. installation accessories







SHOWER-SET AQUAXPRO 100 THERMOSTAT

		Black	Brushed	Brushed
Article no.	Chrome	matt	gunmetal	copper
1007100	712,-	916,-	916,-	916,-

Colours


Chrome (02)

Black matt (68)

Brushed gunmetal (280)

Brushed copper (282)

- · Safety thermostat with 38 °C locking and integrated diverter
- · Cold water fail-safe device
- · Incl. backflow preventer
- · Possibility of thermal disinfection
- · Grip-optimised functional elements for greater ease of use
- · AquaXPro overhead shower, ø 250 × 18 mm, swivelling
- · Height adjustable wall connection (existing drill holes can be used or covered)
- · AquaXPro designer hand shower with three spray modes (Rain, SoftRain, Massage) and height adjustable holder
- · Anti scale nozzles
- · Shower hose 1.5 m with anti-twist protection on both sides
- · Incl. installation accessories




SHOWER & CO | Individual showering pleasure



Brushed

copper






SHOWER-SET RS SLIM THERMOSTAT

		Black	Brushed
Article no.	Chrome	matt	gunmetal
1003500	508,-	712,-	712,-

Colours

- Chrome (02)
- Black matt (68)
- Brushed gunmetal (280)
- · Safety thermostat with 38 °C locking and integrated diverter
- Cold water fail-safe device
- · Incl. backflow preventer
- Overhead shower Rund, ø 255 × 20 mm, swivelling
- Designer hand shower Rund with three spray modes (Rain, SoftRain, Massage) and height adjustable holder
- · Anti scale nozzles
- · Shower hose 1.5 m with anti-twist protection on both sides
- · Incl. installation accessories






SINGLE LEVER BASIN MIXER SLIM ROUND

		Black	Brushed
Article no.	Chrome	matt	gunmetal
1100350	140,-	181,-	181,-








· 1-hole

Colours

Chrome (02)

- Ceramic cartridge
- Projection 130 mm
- Flexible connection hoses G%
- Adjustable aerator (± 7°)




SINGLE LEVER BASIN **MIXER AQUAXPRO**

			Brushed
		Black	gunmetal /
Article no.	Chrome	matt	copper
1100700	255,-	325,-	325,-







Brushed gunmetal (280)

· 1-hole

Colours

Chrome (02)

Black matt (68)

- Ceramic cartridge
- · L-shaped spout, 360° swivelling
- Projection 130 mm
- Flexible connection hoses G%
- Adjustable aerator (± 7°)
- Quick and twist-proof fastening technology
- Grip-optimised functional elements for greater ease of use

Black gunmetal / Article no. | Chrome | matt **1100710** 318,- 414,-

SINGLE LEVER BASIN

MIXER AQUAXPRO HIGH

Colours

Black matt (68)

- · 1-hole
- · Ceramic cartridge
- · L-shaped spout, 360° swivelling
- · Projection 180 mm
- · Flexible connection hoses G% · Adjustable aerator (± 7°)
- Quick and twist-proof
- fastening technology
- · Grip-optimised functional elements for greater ease of use



Optional accessories

				Brushed
			Black	gunmetal /
Clicker waste	Artikel no.	Chrome	matt	copper
The practical pop-up washbasin catch	1100058	46,-	68,-	68,-
opens and closes at the touch of a				
finger. The tap used therefore does				
not require a pull rod.				

The dimension depends on the position of the S-connections and may vary slightly due to the manufacturing process. All dimensions are subject to a tolerance of ± 5 mm.







COMPLETE-SET 1.30

		Brushed
Article no.	Chrome	gunmetal
1007300	480,-	611,-

Colours

AQUAXPRO

- Chrome (02) with Toughened safety glass shelf (ESG) white
- Brushed gunmetal (280) with Toughened safety glass shelf (ESG) black
- · AquaXPro surface-mounted shower thermostat with 38 °C locking
- AquaXPro designer hand shower with three spray modes (Rain, SoftRain, Massage) and hand shower holder
- · Shower hose 1.5 m with anti-twist protection on both sides



COMPLETE-SET 1.35 AQUAXPRO

		Brushed
Article no.	Chrome	gunmetal
1007350	578,-	736,-

Colours

- Chrome (02) with Toughened safety glass shelf (ESG) white
- Brushed gunmetal (280) with Toughened safety glass shelf (ESG) black
- · AquaXPro surface-mounted shower thermostat with 38 °C locking
- · AquaXPro shower rail with height adjustable holder
- · AquaXPro designer hand shower with three spray modes (Rain, SoftRain, Massage)
- · Shower hose 1.5 m with anti-twist protection on both sides



COMPLETE-SET 1.40 AQUAXPRO

		Brushed
Article no.	Chrome	gunmetal
1007400	548,-	681,-

Colours

- Chrome (02) with Toughened safety glass shelf (ESG) white
- Brushed gunmetal (280) with Toughened safety glass shelf (ESG) black
- · AquaXPro surface-mounted bath thermostat with 38 °C locking
- AquaXPro designer hand shower with three spray modes (Rain, SoftRain, Massage) and hand shower holder
- · Shower hose 1.5 m with anti-twist protection on both sides





COMPLETE-SET 1.45 AQUAXPRO

			Brushed	
	Article no.	Chrome	gunmetal	
	1007450	640,-	800,-	

Colours

- Chrome (02) with Toughened safety glass shelf (ESG) white
- Brushed gunmetal (280) with Toughened safety glass shelf (ESG) black
- AquaXPro surface-mounted bath thermostat with 38 °C locking
- AquaXPro shower rail with height adjustable holder
- AquaXPro designer hand shower with three spray modes (Rain, SoftRain, Massage)
- Shower hose 1.5 m with anti-twist protection on both sides



The dimension depends on the position of the S-connections and may vary slightly due to the manufacturing process. All dimensions are subject to a tolerance of ± 5 mm.

SHOWER & CO | Individual showering pleasure







CLASSIC SHOWER-SET

			Stainless
Article no. Chrome		Black matt	steel finish
1008500 579,–		669,-	669,-

			Stalliless
Article no.	Chrome	Black matt	steel finish
1008500	579,-	669,-	669,-

Colours

Chrome (02)

Black matt (68)

Stainless steel finish (90)

- · Safety thermostat with 38 °C locking and integrated diverter
- · Cold water fail-safe device
- · Incl. backflow preventer
- · Flat overhead shower, ø 250 × 8 mm, swivelling and height adjustable
- · Designer hand shower with three spray types (Rain, SoftRain, Massage) and height adjustable holder
- · Anti scale nozzles
- · Shower hose 1.5 m with anti-twist protection on both sides
- · Incl. mounting accessories

CLASSIC SHOWER-SET

	Brushed	Brushed	Brushed	
Article no. gunmetal		gold	copper	
1008528 759,-		759,–	759,–	

Colours


Brushed gunmetal (280)

Brushed gold (281)

Brushed copper (282)

- · Safety thermostat with 38 °C locking and integrated diverter
- Cold water fail-safe device
- · Incl. backflow preventer
- · Flat overhead shower, ø 250 × 8 mm, swivelling and height adjustable
- Designer hand shower with three spray types (Rain, SoftRain, Massage) and height adjustable holder
- · Shower hose 1.5 m with anti-twist protection on both sides
- · Incl. mounting accessories







SHOWER-SET RS 200 THERMOSTAT

Article no.	Chrome
1006600	816,-

Colour



- · Safety thermostat with 38 °C locking and integrated diverter
- Cold water fail-safe device
- Incl. backflow preventer
- Flat overhead shower Rund, \emptyset 250 \times 8 mm, swivelling and height adjustable
- Designer hand shower Rund with three spray types (Rain, SoftRain, Massage) and height adjustable holder
- Shower hose 1.5 m, silver with anti-twist protection on both sides
- · Incl. mounting accessories

RS 200 THERMOSTAT FOR BATHTUB

Article no.	Chrome
1006700	932,–

Colour



- · Safety bath thermostat with 38 °C locking and integrated diverter
- · Cold water fail-safe device
- · Incl. backflow preventer
- · Flat overhead shower Rund, ø 250 × 8 mm, swivelling and height adjustable
- · Designer hand shower Rund with three spray types (Rain, SoftRain, Massage) and height adjustable holder
- · Anti scale nozzles
- · Shower hose 1.5 m, silver with anti-twist protection on both sides
- · Incl. mounting accessories


The dimension depends on the position of the S-connections and may vary slightly due to the manufacturing process. All dimensions are subject to a tolerance of ± 5 mm.



Extras for the shower


SHOWER ACCESSORIES

Sophisticated accessories in a modern design make daily showering pleasant and safe.




SHOWER ACCESSORIES | Extras for the shower





FOLDING SHOWER SEAT ATELIER

The modern folding shower seat Atelier was developed for greater safety when showering. The generous seat surface in black matt ensures pleasant seating comfort and can be folded up to save space after showering.



FOLDING SHOWER SEAT ATELIER

Artikel no.	Chrome
1500023	318,–


Colour

Chrome (02) with seat in black matt


- · Projection 412 mm
- · Seat made of hygienic PU foam
- · Load capacity up to 150 kg
- · Incl. mounting accessories











DOUBLE ROBE HOOK

Artikel no.	Chrome
100024	31,-

Artikel no.	Chrome
100024	31,-

Colour



- · All-metal
- · Concealed fixing
- · Suitable for 5 8 mm Toughened safety glass (ESG) panes

UNIVERSAL FOOTREST

Artikel no.	Chrome
100025	46,-

Colour



- · 5 × anti-slip rings for more slip resistance

All dimensions are subject to a tolerance of ± 5 mm.

124 SHOWER ACCESSORIES



Warmth for well-being

DESIGNER RADIATORS

Clear shapes and colours for a timeless interior design as well as additional functions for more comfort – this is what the designer radiator range offers for bathrooms and living rooms.







Warm and dry

The modern design and high-quality towel rails create functional space for drying and warming hand and shower towels.



Discreet or striking

On request, each designer radiator is available in numerous other colours in addition to the standard colours. A special highlight: the finely textured surface of the colours sandstone, pearl grey and graphite black.



Flexible

In addition to many model dimensions, the extensive range of valve sets offers maximum flexibility. Variable screw inserts allow the thermostatic head and the "flow" to be rotated so that they can be used on the left or right.



Functional

Practical accessories for connecting and operating modern radiators: The connection fittings that can be used on both sides for the centre connection and the heating element 4 with remote control for electrical operation.





High-gloss, matt or finely textured:

The colour world of designer radiators shines in the most beautiful shades, sets accents and shows the radiator as a decorative living element – according to individual wishes. Coordinated with the latest colour trends, the selected range of colours is harmonious, fresh, timeless, discreet, decorative and striking.

Standard colour



White (04)

Special colours







Copper (60)

Sandstone (172)

finely textured

Textured colours



Manhattan grey (08)

Black matt (68)







Graphite black (173) finely textured



Pearl grey (174) finely textured



Anthracite (57)

Silver (88)




SEMPRIO

The timeless, modern radiator

Dimension in mm (W × H)	Rec. heating element in watts	Heat output in watts (EN 442) 75 65 20	Artikel no.	White	Graphite black	Special colours
600 × 1.380	600	689	8406138	969,–	1.158,-	1.385,-
600 × 1.520	900	761	8406152	1.046,-	1.254,-	1.505,-
600 × 1.800	900	905	8406180	1.169,-	1.397,-	1.681,-

Maximum operating pressure 5 bar. Convert watts into BTU \times 3,41.



IMAGE

The modern frame

Dimension in mm (W × H)	Rec. heating element in watts	Heat output in watts (EN 442) 75165120	Artikel no.	White	Graphite black	Special colours
600 × 1.200	600	655	8616120	583,-	701,-	839,-
600 × 1.720	900	892	8616172	717,–	860,-	1.033,-

Anti corrosion coating

Maximum operating pressure 5 bar. Convert watts into BTU \times 3,41.





130 **DESIGNER RADIATORS**

+ 188,-





YENGA

The honoured

Dimension in mm (W × H)	Rec. heating element in watts	Heat output in watts (EN 442) 75165120	Artikel no.	White	Graphite black	Special colours
500 × 1.186	600	455	8750120	720,-	784,-	939,–
500 × 1.824	900	638	8750180	995,-	1.144,-	1.462,-
600 × 1.186	600	528	8760120	741,-	826,-	1.016,-
600 × 1.824	900	740	8760180	1.059,-	1.209,-	1.483,-

Maximum operating pressure 4 bar. Convert watts into BTU × 3,41.







Dimension in mm (W × H)	Rec. heating element in watts	Heat output in watts (EN 442) 75165120	Artikel no.	White	Graphite black	Special colours
600 × 1.150	600	585	8960120	614,-	734,-	840,-
600 × 1.540	600	713	8960150	713,-	875,-	1.024,-
600 × 1.735	900	816	8960180	848,-	1.017,-	1.207,-

Maximum operating pressure 4 bar. Convert watts into BTU \times 3,41.





YENGA ROOM DIVIDER

The decorative towel dryer



Dimension in mm (W × H)	Rec. heating element in watts	Heat output in watts (EN 442) 75165120	Artikel no.	White	Graphite black	Special colours	
600 × 1.824	900	740	8760180-R	1.268,-	1.522,-	1.829,-	

Mixed and electric operation not possible. Maximum operating pressure 4 bar. Convert watts into BTU \times 3,41.





YENGA PLUS

The eye-catcher



Dimension in mm (W × H)	Heat output in watts (EN 442) 75165120	Artikel no.	White	Graphite black	Special colours
600 × 1.214	706	8860120	946,-	1.136,-	1.365,-
600 x 1.742	992	8860180	1.267,-	1.521,-	1.824,-

Mixed and electric operation not possible. Maximum operating pressure 4 bar. Convert watts into BTU \times 3,41.



Connection and thermostatic fitting not included in the scope of delivery. The connection sets can be found from page 138 onwards. Subject to design and model changes. Technical specifications without guarantee. All dimensions are subject to a tolerance of ± 2 mm.



ATELIER LINE

The super flat

Dimension in mm (W × H)	Heat output in watts (EN 442) 75165120	Artikel no.	White	Graphite black	Special colours
456 × 1.806	771	8744180	851,-	1.022,-	1.225,-
608 × 1.806	1.027	8746180	1.038,-	1.246,-	1.495,-

Mixed and electric operation not possible. Maximum operating pressure 5 bar.

Optional accessories

Closed towel rail	Artikel no.	White	Chrome
Width 510 mm	860001	129,-	129,-
Width 650 mm	860001	137,-	137,-



Half open towel rail

Width 290 mm	860004	_	111,-
Width 430 mm	860004	_	129,-
Width 550 mm	860004	_	152,-

Please indicate desired option. Convert watts into BTU \times 3,41.



ATELIER HIGHLINE

The highlight

Dimension in mm (W × H)	Rec. heating element in watts	Heat output in watts (EN 442) 75 65 20	Artikel no.	White	Graphite black	Special colours
608 × 1.806	900	665	8776186	932,-	1.119,-	1.339,-

Maximum operating pressure 10 bar. Convert watts into BTU \times 3,41.





LINE PLUS

A real all-rounder

Dimension in mm (W × H)	Rec. heating element in watts	Heat output in watts (EN 442) 75 65 20	Artikel no.	White	Graphite black / black matt	Special colours
500 × 1.775	900	938	8085178	494,-	592,-	710,-
600 × 1.215	600	753	8086122	400,-	476,-	574,-
600 × 1.775	900	1.099	8086178	520,-	622,-	746,-

Anti corrosion coating


+ 188,-

The protruding towel rails are not completely flushed, so they only heat up slightly. Maximum operating pressure 10 bar.

Convert watts into BTU × 3,41.







Dimension in mm (W × H)	Rec. heating element in watts	Heat output in watts (EN 442) 75 65 20	Artikel no.	White	Graphite black / black matt	Special colours
600 × 1.215	600	711	8096122	441,-	530,-	637,–
600 × 1.775	900	1.032	8096178	486,-	583,-	699,–

Anti corrosion coating

+ 188,-

Maximum operating pressure 10 bar. Convert watts into BTU × 3,41.



Connection and thermostatic fitting not included in the scope of delivery. The connection sets can be found from page 138 onwards. $Subject\ to\ design\ and\ model\ changes.\ Technical\ specifications\ without\ guarantee.\ All\ dimensions\ are\ subject\ to\ a\ tolerance\ of\ \pm\ 2\ mm.$





LINE

The proven all-r	ounder		customi	sed size	
Dimension in mm (W × H)	Rec. heating element in watts	Heat output in watts (EN 442) 75165120	Artikel no.	White	Special colours
400 × 1.215	300	483	804122	238,-	325,-
400 × 1.775	900	701	804178	287,–	415,-
500 × 775	300	388	805078	229,–	283,-
500 × 1.215	600	598	805122	246,-	331,-
500 × 1.775	900	867	805178	291,-	417,-
600 × 775	300	461	800078	234,–	298,-
600 × 1.215	600	711	800122	281,-	401,-
600 × 1.575	600	916	800158	293,–	421,-
600 × 1.775	900	1.032	800178	320,-	459,–
750 × 1.215	600	879	807122	308,-	423,-
750 × 1.775	900	1.276	807178	358,–	512,-
Made to measure			800555	608,-	873,-

Anti corrosion coating


Surcharge for centre connection

+ 33,-

+ 188,-

+ 188,-

Maximum operating pressure 10 bar. Convert watts into BTU × 3,41.




LINE TWO

Anti corrosion coating

The double-row towel warmer

Dimension in mm (W × H)	Heat output in watts (EN 442) 75165120	Artikel no.	White	Graphite black	Special colours
600 × 1.230	986	8216123	615,-	738,-	885,-
600 × 1.770	1.210	8216177	774,-	930,–	1.117,-

Mixed and electric operation not possible. Maximum operating pressure 5 bar. Convert watts into BTU × 3,41.



Connection and thermostatic fitting not included in the scope of delivery. The connection sets can be found from page 138 onwards. $Subject to design and model changes. Technical specifications without guarantee. All dimensions are subject to a tolerance of <math>\pm\,2$ mm.

Connection sets for a perfect connection

For optimum connection of the designer radiators to the central heating system, the modern range also offers suitable connection fittings for centre and side connections. Tailored to the different connection types and practical requirements, the sets have high-quality thermostat controllers with graduated temperature limitation.

Possible variations

Centre connection


- · Compact valve
- · Angle valve set
- Straight valve set

Side connection

- · Angle valve set
- · Straight valve set
- · Angle corner valve set

All radiator valves are only suitable for two-pipe heating systems.





Flexible centre connection fittings

Two centre connection fittings offer increased flexibility during installation. Variable screw inserts allow the thermostatic head and the "flow" to be rotated so that they can be used on the left or right.




CENTRE CONNECTION WALL / CORNER VALVE SET


thermostatic head can be limited), can be installed on both sides (change flow/return), integrated return screw connection (can be shut off).

_	890829	139,-	166,-
	Article no.	Chrome	matt
			Black

Article no.

890832







Please indicate desired colour.

Black

matt

166,-

Please indicate desired colour.


CENTRE CONNECTION FLOOR / VALVE SET PASS-THROUGH


Consisting of fitting and thermostatic head (valve can be preset,

Consisting of fitting and thermostatic head (valve can be preset,

thermostatic head can be limited), can be installed on both sides (change flow/return), integrated return screw connection (can be shut off).








are only suitable for


Chrome


139,-

MIXED MODE SET Article no. Chrome

Version left







Consisting of flow valve angle-corner, with thermostatic head (valve can be preset, thermostatic head can be limited) and special return valve for heating element (can be shut off).

Version right

890836	166,-
890837	166,-

The mixed operation set can only be combined with heating element 1 and heating element 2.

are only suitable for

 $Subject\ to\ design\ and\ model\ changes.\ Technical\ specifications\ without\ guarantee.\ All\ dimensions\ are\ subject\ to\ a\ tolerance\ of\ \pm\ 2\ mm.$

Black **COMPACT VENTIL** Article no. Chrome White matt Consisting of fitting with design cover and thermostatic head (valve can be preset, thermostatic head can be limited), can be used as a corner or straight-through variant, flow side can be exchanged, integrated return screw connection (can be shut off). Dimensions with design panel 890840 139,- 139,- 139,-Please indicate desired colour All HSK radiator valves are only suitable for two-pipe heating syster Dimensions without design panel

COMPRES	SION FITTING		Article no.	Chrome	Black matt
		Set for copper pipes (2 pieces 15×1 Cu)	890011	16,-	20,-
		Set for PEX pipes (2 pieces 16 × 2 Pex)	890012	18,-	22,-

Please indicate desired colour.

Standard compression fitting for copper or PEX pipes. Ideally matched to HSK standard fittings (G¾ Euro cone).







Designer radiators in electric and mixed operation

In addition to connection to the central heating system, many designer radiators offer the option of flexible and localised heating - either in pure electric mode or in so-called mixed mode.

All that is required for electrical operation is a power connection via the socket and a heating element. We recommend filling the radiator with a special water-glycol mixture.

In mixed mode, the radiator is connected to the central heating system and the immersion heater. This combines the advantages of both operating modes.

The Semprio, Yenga, Yenga Light, Yenga room divider, Line Plus, Line, Line Pro, Image and Atelier Highline ranges are suitable for electric and mixed operation.

Article no.

890002

Price

29,-

GLYCOL

For purely electric operation Bottle capacity 1.5 litres

Fill the radiator 95 % full with a water-glycol mixture.

The glycol content must not make up more than 15 % of the total filling volume.





	in watts	Article no.	White
Protection class IP55	300	890300	115,-
Cable length 1.20 m, colour white	600	890600	128,-
	900	890900	136,-

Power

Power

In accordance with the Ecodesign Directive, we would like to point out that this product is intended exclusively for towel radiators. This product is not suitable as a main heating appliance.



HEATING ROD 2*



	in watts	Article no.	White
Protection class IPX4, with power regulation	300	891300	181,-
Cable length 1.20 m, colour white	600	891600	192,-
	900	891900	220,-

Power

in watts

In accordance with the Ecodesign Directive,

we would like to point out that this product is intended exclusively for towel radiators. This product is not suitable as a main heating appliance.



White

265,- 278,-

288,- 300,-

310,- 323,-

HEATING ROD 3 LED*



Protection class IP44, LED techno-300 logy, timer function (2/4/6/8 h), 600 frost guard, 4 heating levels, 900 overheating protection,

coiled cable length 0.66 m (extendable to 1.5 m)

Available in white and silver.




Article no.

892300

892600

892900




The heating element cannot be combined with the mixed mode set. The combination with a timer is not possible for technical reasons.

HEATING ROD 4 WITH REMOTE	CONTROL*	in watts	Article no.	White	Silver	Black
	Protection class heating rod IPX5,	300	894300	310,-	354,-	354,-
(e ^z	remote control IP30	600	894600	332,-	377,-	377,-
The same	Intelligent heating element with	800	894900	354,-	399,–	399,-



adjustable daily/weekly programme, frost guard, coiled cable length 0.5 m (extendable to 1.5 m)


Heating rod available in white and silver, remote control in white.



The heating element cannot be combined with the mixed mode set. The heating element and remote control must be located in the same room. The remote control is battery-operated.



All heating rods come with a two-pin plug. Please purchase UK adapter separately. For technical reasons, the heating of the water-glycol filling causes operating noises during electrical operation.



Creative wall cladding

RENODECO

Set accents and conjure up a whole new atmosphere in your bathroom.

RenoDeco, the seamless wall cladding for an unusual bathroom design in partial renovations and new builds.










High-quality

RenoDeco is a hard-wearing, scratchresistant aluminium composite material with an easy-care surface. This wall covering is therefore ideal for wet areas – in the shower or behind the washbasin and WC.



Seamless

Where reliability and easy maintenance are important, RenoDeco is the right choice. The high-quality, waterproof material enables large areas of entire wall surfaces or individual functional areas to be covered – without any joints.



Decorative

Exclusive high-gloss surfaces bring brilliance and depth to the bathroom, while high-quality textured surfaces offer characteristic embossing of natural materials. The silk-matt surfaces achieve even more exclusivity with their elegant, matt look and slightly silky shimmer.




Customised

In addition to the extensive decor selection, you can also bring your own motifs and memories into your bathroom. With the customisable RenoDeco photo printing, there are no limits to the design.







7 plus points that make the difference!

7*

7. Surface finish (*only with textured decors)

Offers striking embossing of natural materials for a genuine tactile experience

6. Top coating

Hard-wearing top paint coating for a perfect surface finish

*High-gloss and silk-matt finishes are composed of two highly abrasion-resistant paint layers

5. Basecoat

Highly abrasion-resistant paint coating

*High-gloss and silk-matt finishes are composed of three highly abrasion-resistant paint layers

4. Digital print

Six-colour printing for motives that tell a story

3. Primer

The job of the primer is to maximise the colour display and enable optimum adhesion.

2. Aluminium cover layer

HSK uses a high-quality, 0.3 mm aluminium cover layer instead of the commonly used 0.15 - 0.2 mm aluminium cover layers

1. Panel core

The core is made of premium LDPE polyethylene

Benefits

- · Various designs with textured, high-gloss or silk-matt surfaces
- · Three panel formats available to provide seamless cladding of larger wall surfaces in the blink of an eye
- · Robust, classy surface finish for a long life
- · 3 mm material thickness requires very little additional wall texture
- · Ample decor range with stone, wood, concrete, fine plaster, metal, tile, and uni-decors, plus custom prints with custom photos or motives out of the HSK image database
- · Straightforward, easy to clean
- \cdot Can be worked and installed directly on site with standard tools

Properties

- · Hygienically seamless, easy maintenance, water-resistant
- · Durable, resistant and scratch-proof
- \cdot Colour-stable, food-safe and temperature-resistant up to +80°C
- · Lightweight: 3.8 kg/m²
- · Fire category B2 according to DIN 4102-1
- A+ classification according to French regulations for VOC emissions (emission-free)
- Perfect imitation of natural materials (stone, wood, etc.)
 thanks to tactile, textured surfaces
- · Shaped design for manual edging of creative wall cladding with textured surface


Perfect hygiene thanks to the lotus effect

Thanks to the refined surfaces of the RenoDeco creative wall cladding, there is a strong beading behaviour. Water runs off the silk-matt and high-gloss surfaces almost without leaving any residue, while only drops of water remain on the hydrophobic surface of the textured paint. This guarantees easy maintenance of the wall panelling.





Perfect hygien







Versatile designs

Velvety silk-matt, elegant high-gloss, strikingly textured

Exclusive RenoDeco high-gloss decors bring brilliance to the individual dream bathroom. The multi-layered lacquer texture ensures a sophisticated lustre with depth effect. The high-quality textured surfaces are almost indistinguishable from natural materials. The silk-matt surfaces, which are velvety soft to the touch and offer a high-quality, matt look with a silky shimmer, add even more exclusivity to the bathroom.

The customised print is highly expressive – velvety silk-matt, elegant high-gloss or strikingly textured.

Aluminium composite panel	Dimensions in cm	Article no.	Price
High-gloss surface	100 × 210*	942000	359,-
	100 × 255	940000	399,–
	150 × 255	940200	598,-
High-gloss surface with photo printing, individual	100 × 255	940400	596,-
	150 × 255	940600	814,-
Uni high-gloss surface	100 × 210*	942000	359,-
	100 × 255	940000	399,-
	150 × 255	940200	598,-

Fine stone decors



graphite grey (701)



ash grey (702)





Sandstone decors

Sandstone, terra beige (704)

Natural stone decors



Marble, white grey (703)

arctic white (761)

Uni decors

Uni,



Marble,



classico white (773)






crema beige (769)



carrara white (783)

individual

* Only available for selected decors










Aluminium composite panel	Dimensions in cm	Article no.	Price
Silk-matt surface	100 × 210*	942000	359,–
	100 × 255	940000	399,-
	150 × 255	940200	598,–
Silk-matt surface with photo printing, individual	100 × 255	940400	596,-
	150 × 255	940600	814,-
Uni silk-matt surface	100 × 210*	942000	359,-
	100 × 255	940000	399,–
	150 × 255	940200	598,-



Fine stone decors



graphite grey (801)



ash grey (802)



Fine stone, vertino beige (851)



Exposed concrete, cemento grey (881)



Marble, white grey (803)



Marble, carrara black (829)



Marble, carrara white (883)



Marble, copper anthracite (841)



Marble, jura-greige (844)



Marble, perlato anthracite (842)



calco beige (852)



pura grey (880)

* Only available for selected decors

Terrazzo decor



Terrazzo, anthracite (843)

Uni decors



individual

arctic white (861)



Uni, crema beige (869)




Photo printing, gold-green (850)










Aluminium composite panel	Dimensions in cm	Article no.	Price
Textured surface	100 × 210*	942000	312,-
	100 × 255	940000	324,-
	150 × 255	940200	492,-
Textured surface with photo printing, individual	100 × 255	940400	531,-
textured surface with photo printing, individual			
	150 × 255	940600	703,-



Natural stone, slate grey (550)

Fine stone decors



Fine stone, vertino beige (551)



Fine stone, graphite grey (601)



Natural stone,

champagne (606)

Fine stone, Fine stone, ash grey (602) stucco white (619)



Sandstone, terra beige (604)



Sandstone, terra grey (615)

Concrete decor



Exposed concrete, cemento grey (537)

Metal decor

Metal,

rust red (611)



Exposed concrete, light grey (625)



Photo printing, individual

Natural stone decors



Natural stone, slate grey (550)

Wood decor

natural light (538)



calco beige (552)

Wild oak, rustic (543)



Marble, white grey (603)



Fine plaster, greige (540)



* Only available for selected decors













Perfect connections with aluminium profiles

The RenoDeco creative wall cladding can be joined seamlessly and reliably using slim aluminium profiles – whether around corners or on the surface. The flush, angular or optionally rounded profile provides a neat panel finish. The 3D corner provides a professional finish for three surfaces on an external corner, as with a pre-wall installation.













Profiles	Type of profile	Length in cm	Article no.	Aluminium silver matt	Chrome finish	Black matt
	Corner profile outside straight	255	930011	46,-	56,-	56,-
	ca. 22 × 22 mm					
	Corner profile outside flush-mounted	255	930012	46,-	56,-	56,-
	ca. 23 × 27 mm					
	Corner profile inside	255	930002	46,-	56,-	56,-
	ca. 23 × 23 mm					
	Connection profile	255	930003	46,-	56,-	56,-
	ca. 33 × 6 mm					
	Flush connection profile	255	930015	46,-	56,-	56,-
	ca. 45 × 5,2 mm					
	Invisible joint profile	209	930110	80,-	_	_
	ca. 80 × 2,5 mm	254	930010	92,-	_	-
	Straight end profile	255	930004	46,-	56,–	56,-
	ca. 17 × 6 mm					
	Flush end profile	255	930009	46,-	56,–	56,-
	ca. 23 × 5,2 mm					







940115

134,-

Profiles	Type of profile	Length in cm	Article no.	Aluminium silver matt	Chrome finish	Black matt	Accessories	Features
	3D corner outside straight	2.3 × 2.3	930014	16,-	16,-	16,-	Mounting kit	For gluing F
	For pre-wall installations							
	(approx. 23 × 23 mm)						Liev	Set conten
la co	To be combined with 3 × corner p	rofile outside stra	ight				F. F	· Cartridge
	(Article no. 930011)							· 10 m PE a
							=	· 2 × shims
								· Silicone v
	Outside corner straight	1.8 × 1.8	930008	16,-	16,-	16,-		
	approx. 18 × 18 mm			,	•			Product in
	To be combined with 2 × straight	end profile (Article	e no. 930004)					· Quantity i
			,					100 × 210
								100 × 255
								150 × 255
	Outside corner flush	2.75 × 2.75	930013	16,-	16,-	16,-		Silicone set
	approx. 27.5 × 27.5 mm							
	To be combined with 2 × flush en							Set content
	or 3 × corner profile outside flush							· Box (PU) v
	for the realisation of a 3D solution	n for pre-wall insta	allations					· Incl. silico
							1-component special glue	
								1-compone
								Set content
							Chapman barren	· Set 1: 4 × f
							NO.	Sufficient
								· Set 2: 6 ×
								Sufficient
								Product in
								· For surfac
								· Ready to u
								· Ideal for p
								. 380 mi co

Article no. Price 48,ng RenoDeco creative wall cladding 930100


- ge of transparent adhesive incl. tip
- PE adhesive tape, 40 × 2 mm
- wedges

information

- ity required for installation:
- 210 cm | 1 × mounting kit
- 255 cm | 1 × mounting kit
- 255 cm | 2 × mounting kit

930150 211,set

- U) with 20 cartridges of installation silicone, 310 ml each
- licone tips
- nent special glue, set 1 940110 90,-



- 4 × foil bags, incl. silicone tip (for battery press), spatula and wedges ent to bond one RenoDeco creative wall cladding each in 100 \times 210 cm or 100 \times 255 cm.
- $5 \times \text{foil bags, incl. silicone tip (for battery press), spatula and wedges}$ ent to bond one RenoDeco creative wall cladding in 150 × 255 cm.

information


- rface bonding of RenoDeco creative wall cladding
- to use in a film bag
- or portioning
- l container



Many customised decors are available in the photo gallery and are updated on an ongoing basis.







OWN BATHROOM LANDSCAPE

CONFIGURE YOUR

Quick and easy

Scan the QR code and be creative



Upload your personalised motif with the help of the easy-to-use configurator. In addition many great motifs in colour or black and white to choose from in the photo gallery. ready. Let yourself be inspired for your personal bathroom dream. You can find the RenoDeco configurator online at: individual.renodeco.de



HSK Duschkabinenbau KG Zum Hohlen Morgen 22 59939 Olsberg Germany

Tel. +49 2962 97903-0 Fax +49 2962 6570 info@hsk-duschkabinenbau.de

Scott Bower HSK UK and Ireland Business Manager Mob. +44 079 61681501 Scott@hskshowerdoors.co.uk



RRP in £ ex VAT

